

धनगढी उप-महानगरपालिका





सुदूरपश्चिम प्रदेश, नेपाल

दररेट पेश गर्ने सम्बन्धी सूचना

प्रकाशित मिति: २०७९/०५/२४

१. धनगढी उप-महानगरपालिकाद्वारा विभिन्न सप्लायर्स संग तपिसल बमोजिमको खरिद कार्य गर्नका लागी दररेट पेश गर्नका लागी यो सूचना प्रकाशित गरिएको छ।

क्र. स.	विवरण	जम्मा रकम् (मृ. अ. क. बाहेक)	दररेट पेश गर्ने अन्तिम समय	कैफियत
1	Procurement for the Supply and Delivery Allopathy Drugs	9,98,253.49	(15 th Sep 2022) 2079/05/30 B.S. 05:00 PM	

२. दररेट पेश गर्ने सप्लायर्सले अनिवार्य रूपमा दररेट पेश गर्ने व्यहोरा सम्बन्धको लिखित निवेदन सिंहत नवीकरण भएको फर्म/ कम्पनी दर्ता प्रमाणपत्रको प्रतिलिपि, निवकरण भएको व्यवसाय दर्ता प्रमाणपत्रको प्रतिलिपि, मु. अ. क. दर्ता प्रमाणपत्रको प्रतिलिपि, औषधी व्यवस्था विभाग दर्ता प्रमाणपत्र र आ. व. २०७७/०७८ को करचुक्ता प्रमाणपत्रको प्रतिलिपि संग्लग्न गरि पेश गर्नुपर्ने छ |

३. उक्त कार्यको लागी आवश्यक BoQ, Specification यस कार्यालयको वेबसाइट http://www.dhangadhimun.gov.np बाट

डाउनलोड गर्न सिकनेछ |

४. BoQ मा आफुले कबोल गरेको रकम अंक र अक्षरमा स्पस्ट बुझिने गरि लेखेर पेश गर्नुपर्ने छ

प्रमुख प्रशासकीय अधिकृत

प्रमुख प्रशासकीय अधिन



	5	
	7	
9	1	

	The second secon						1	
			_	Dhangac	thi Sub-Metropoli Bill of Quantities	tan City	Sales Miles	
Na	Name of Works: Procurement for the Supply and Delivery Allopathy Drugs	t for the Suppl	y and Delivery A	Allopathy	Drugs	1	lon	
S.N.	V. Description of Works	Unit	Strength	Quantity			Amount (NRs.)	Remarks
- 1	5				In figure	In words		
-	Amlodipine	Tablet	5 mg	7500				
2	Amoxycillin	Dispersale tablet	250 mg	2000				
m	Azithromycin	Tablet	250 mg	2000				
4	Azithromycin	Tablet	S00mg	3000				
5	Calamin Lotion	Tablet	15% w/v, 30 ml	200				
9	Ciprofloxacin	E/E drop	0.3%w/v, 5ml	2000				
7	Clotrimazole	Skin Cream	1%25g	700				
1							A CONTRACTOR OF THE PARTY OF TH	

8

Name, Signature and Stamp of firm:

						とし		
2	Jeseription of Works	Unit	Strength	Ouantity		Rate (NRs) Per unit	V-CLOS OF THE PARTY OF THE PART	
5					In figure	In words	Amount (INKS.)	кешагк
∞	Lignocaine with adrenalin 1:10,000	Injection	s Adrenalin 1: 10,00	20				
6	Nitrofurantion	Tablet	100mg	3000				
10	10 Paracetamol	Tablet	500mg	20000				
Ξ	11 Ranitidine	Tablet	150mg	20000				
12	12 Vitamin B complex	Tablet	10mg, pyridoxine 3	20000				
13	13 Cefixim	Tablet	400 mg	2000				
14	14 Losartan Potassium	Tablet	50mg	3000				
15	15 Pantoprazole	Tablet	40 mg	8000				
16	Mefenamic acid	Tablet	500mg	2000				
					The state of the s	Control of the Contro	THE CONTRACTOR AND ASSESSMENT	1 1 1 1 1 1 1 1 1 1

Name, Signature and Stamp of firm:

	ماله	Ilait	Strongth	Onontiffe	Rate (NRs) Per unit	1		1
S.	V. Description of Works	OIIII	Strength	Cuaminy -	In figure In words	8	Amount (NKS.)	Kemarks
17	Aceclofenac	Tablet	100mg	7500				
18	Norethisterone	Tablet	Smg	3000		315		
19	Calcium carbonate	Tablet	500mg	10000				
20	Methyl cobalamin	tablet	1500 mcg	10000				
			Total Bidding amount in Nrs.	ount in Nrs.				
			^	VAT @13%]		Pops La correct		
			Total Incl	Total Including VAT				
Tota	Total In Words:							

Name, Signature and Stamp of firm:



धनगढी उप-महानगरपालिका

नगर कार्यपालिकाको कार्यालय धनगढी,कैलाली सुदरपश्चिम प्रदेश,नेपाल

A. Specification Detail

	Amlodipine Tablets 5mg
INN/Generic Name	Amlodipine Besylate tablets; Amlodipine Besilate Tablets
Dosage form	Tablets
Strength	Each film coated tablet contains- Amlodipine (as Besylate/Besilate) 5mg
Standard	API should meet the monograph requirement/Tablet should meet general requirement stated under tablet and specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043.
Basic Unit	1×10 Tablets Blister pack
Primary Pack	Amlodipine Tablets should be packed in an Aluminum-PVDC coated amber colored/ opaque PVC film blister pack. PVC film thickness: NLT 250 micron with 60 gsm PVDC coating
	Aluminum Foil Thickness: NLT 25 micron
Quantity primary pack in supply unit	10 blisters each containing 10 Amlodipine tablet are packed in a printed mono carton (NLT 300 gsm) for secondary packaging. 100 such mono carton packed in cardboard carton NLT 5 ply.
Special Storage	Store at room temperature, protected from light and moisture.
Shelf Life	Minimum 24 Months. At least 3/4 th shelf life must be available at the time of delivery to the designated store

	Amoxycillin Dispersible Tablets 250mg
INN/Generic	AmoxycillinTrihydrate Dispersible Tablets; Amoxycillin Dispersible Tablets
Name	
Dosage form	Tablets
Strength	Each Dispersible Tablet contains-
	Amoxycillin (as Trihydrate) 250 mg
Standard	API should meet the monograph requirement/Tablet should meet genera
	requirement stated under tablet and specific requirement of the individual produc



CS CamScanner

	monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043.
Basic Unit	1×10 Tablets strip pack.
Primary Pack	Amoxicillin Dispersible Tablets should be packed in an Aluminum - Aluminum strip pack. Aluminum foils thickness -NLT 40 micron and 60 gsm.
Quantity primary pack in supply unit	10 strips each containing 10 Amoxycillin Dispersible tablets are packed in a printed mono carton (NLT 300 gsm) for secondary packaging. 100 such mono carton are packed in cardboard carton NLT 5 ply.
Special Storage	Store at room temperature, protected from moisture.
Shelf Life	Minimum 24 Months. At least 3/4 th shelf life must be available at the time of delivery to the designated store.

	Azithromycin Tablets 250mg
INN/Generic Name	Azithromycin Tablets
Dosage form	Tablets
Strength	Each film coated tablet contains- Azithromycin (as Dihydrate/anhydrous) 250 mg
Standard	API should meet the monograph requirement/Tablet should meet general requirement stated under tablet and specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043.
Basic Unit	1 × 10 Tablets blister pack.
Primary Pack	Azithromycin tablets should be packed in an Aluminum-PVDC coated PVC film blister pack. PVC film thickness: NLT 250 micron with 60 gsm PVDC coating
	Aluminum Foil Thickness : NLT 25 micron
Quantity primary pack in supply unit	10 blisters each containing 10 Azithromycin tablets packed in a printed mono carton (NLT 300 gsm) for secondary packaging. 100 such mono carton packed in cardboard carton NLT 5 ply.
Special Storage	Store at room temperature, protect from moisture.
Shelf Life	Minimum 24 Months. At least 3/4 th shelf life must be available at the time of delivery to the designated store.

Azithromycin Tablets 500mg





INN/Generic Name	Azithromycin Tablets
Dosage form	Tablets
Strength	Each film coated tablet contains- Azithromycin (as Dihydrate/anhydrous) 500 mg
Standard	API should meet the monograph requirement/Tablet should meet general requirement stated under tablet and specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043.
Basic Unit	1 × 3 Tablets blister pack.
Primary Pack	Azithromycin tablets should be packed in an Aluminum-PVDC coated PVC film blister pack. PVC film thickness: NLT 250 micron with 60 gsm PVDC coating Aluminum Foil Thickness: NLT 25 micron
Quantity primary	A CAMBERT OF THE PROPERTY OF T
pack in supply unit	(NLT 300 gsm) for secondary packaging. 100 such mono carton packed in cardboard carton NLT 5 ply.
Special Storage	Store at room temperature, protect from moisture.
Shelf Life	Minimum 24 Months. At least 3/4 th shelf life must be available at the time of delivery to the designated store.

	Calamine Lotion 30 ml
INN/Generic Name	Calamine Cutaneous Suspension; Calamine Lotion
Dosage form	Lotion
Strength	Calamine lotion contains: Calamine 15% w/w Zinc oxide 5% w/w
Standard	API should meet the monograph requirement/Lotion should meet specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043
Basic Unit	1×30ml PET Bottle
Primary Pack	Calamine Lotion packed in clear PET (Polyethylene Terephthalate) bottle provided with ROPP (Roll On Pilfer Proof) cap with EPE (Expanded Polyethylene) liner with tamper evident seal.





Quantity primary pack in supply unit	50 bottles shall be packed in a cardboard box of NLT 3 ply suitably segregated from each other to prevent damage/breakage during transportation.
Special Storage	Store at room temperature. Do not freeze.
Shelf Life	Minimum 24 months. 3/4 th shelf life must be available at the time of delivery to the designated store.

	Ciprofloxacin Eye Drops 5 ml
INN/Generic Name	Ciprofloxacin Eye Drops; Ciprofloxacin Ophthalmic Solution
Dosage form	Ophthalmic Drops (Eye Drops)
Strength	Ciprofloxacin Eye drop contains- Ciprofloxacin (as Hydrochloride) 0.3% w/v
Standard	API should meet the monograph requirement/Eye and Ear drops should meet general requirement stated under Ophthalmic Drops and specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043
Basic Unit	1×5ml vial
Primary Pack	Ciprofloxacin Eye Drops are packed in a sterile gamma irradiated Lupoline Vial provided and High Density Polyethylene (HDPE)tamper evident cap / FFS (Form Fill Seal) technology based vial. Each primary package shall be packed in a mono carton.
Quantity primary pack in supply unit	100 vials shall be packed in a cardboard box of NLT 3 ply suitably segregated from each other to prevent damage/breakage during transportation.
Special Storage	Store at room temperature, protected from light.
Shelf Life	Minimum 24 months. 3/4 th shelf life must be available at the time of delivery to the designated store.

Clotrimazole Cream 25 g		
INN/Generic Name	Clotrimazole Cream (skin)	
Dosage form	Cream	
Strength	Each tube contains- Clotrimazole1% w/w	
Standard	API should meet the monograph requirement/Cream should meet general requirement stated under Creams and specific requirement of the individual	







	product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043	
Basic Unit	1× 25 g Collapsible Tube	
Primary Pack	Clotrimazole Cream is packaged in a collapsible tube and provided with tamper evident high density polyethylene/Polypropylene (HDPE)screw cap.	
Quantity primary pack in supply unit	Each tube is packed in a printed mono carton & 100 such mono cartons are packed into cardboard boxes NLT 3 ply.	
Special Storage	Store protected from moisture and light	
Shelf Life	Minimum 24 months. At least 3/4 th shelf life must be available at the time of delivery to the designated store.	

maring Transported / - No.	Lidocaine and Adrenaline Injection 1%w/v, 30ml		
INN/Generic	Lidocaine and Epinephrine Injection; Lidocaine Hydrochloride and Epinephrine		
Name	Injection		
Dosage form	Parenteral preparation(Injection)		
Strength	Each ml Injection contains-		
	Lignocaine/Lidocaine Hydrochloride 10mg.		
	Adrenaline/Epinephrine (as acid tartrate)1: 200,000 (5mg)		
Standard	API should meet the monograph requirement /injection should meet general requirement stated under parenteral preparation (injection) and specific requirement of the individual product monograph given in any pharmacopeia recognized by Drug Standard Regulation 2043		
Basic Unit	1 ×30 ml Glass vial		
Primary Pack	Lignocaine and Adrenaline Injection shall be packed in an amber color glass vial glass Type I.		
Quantity primary	Each vial is packed in a printed mono carton. Patient information Leaflet		
pack in supply unit	(PIL)should be provided in secondary packaging. 50 such vial are packed in a card		
	board carton NLT 5 ply		
Special Storage	Store at room temperature.		
	Minimum 12 Months. At least 3/4th shelf life must be available at the time of		
Shelf Life	delivery to the designated store.		

	Paracetamol Tablets 500mg	The state of the s
INN/Generic Name	Paracetamol tablets; Acetaminophen Tablets.	
Dosage form	Tablets	
Strength	Each tablet contains-	





	Paracetamol 500mg	
Standard	API should meet the monograph requirement/Tablet should meet general requirement stated under tablet and specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043.	
Basic Unit	1×10 Tablets Blister pack	
Primary Pack	Tablets should be packed in an Aluminum- PVC film amber colored / opaque blister pack. PVC film Thickness: NLT 250 micron & NLT 350 gsm Aluminum Foil Thickness: NLT 25 micron & NLT 60 gsm	
Quantity primary pack in supply unit	50 Blisters each containing 10 paracetamol tablets are packed in a printed mono carton (NLT 300 gsm) for secondary packaging. 100 such mono carton packed in cardboard carton NLT 5 ply.	
Special Storage	Store at room temperature, protected from moisture and light.	
Shelf Life	Minimum 24 Months. At least 3/4th shelf life must be available at the time of delivery to the designated store.	

Ranitidine Tablets 150mg		
INN/ Generic Name	Ranitidine Tablets, Ranitidine Hydrochloride Tablets.	
Dosage form	Tablets	
Strength	Each Film coated tablet contains- Ranitidine (as Hydrochloride) 150mg	
Standard	API should meet the monograph requirement/Tablet should meet general requirement stated under tablet and specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043.	
Basic Unit	1×10 Strip pack.	
Primary Pack	Ranitidine Tablets should be packed in an Aluminum - Aluminum strip pack. Aluminum foils Thickness -NLT 40 micron and 60 gsm.	
Quantity primary pack in supply unit		
Special Storage	Store protected from light and moisture.	
Shelf Life	Minimum 24 Months. At least 3/4th shelf life must be available at the time of delivery to the designated store.	





Vitamin B-Complex Capsules			
INN/Generic Name	Vitamin B-Complex Capsules		
Dosage form	Capsules		
Strength	Each Vitamin B-Complex Capsule shall contains- Thiamine Mononitrate 5mg		
	Riboflavin 5mg		
	Pyridoxine Hydrochloride 1.5mg		
	Nicotinamide 50mg		
	Calcium Pantothenate 25mg		
Standard	API should meet the monograph requirement/capsule should meet general requirement stated under capsule given in any pharmacopoeia recognized by Drug Standard Regulation 2043 and specific requirement of manufacturer in house product specification.		
Basic Unit	1×10 Capsules Blister pack		
Primary Pack	Capsule should be packed in an Aluminum-PVDC coated PVC film blister pack. PVC film thickness: NLT 300 micron with 60 gsm PVDC coating Aluminum Foil Thickness: NLT 25 micron		
Quantity primary pack in supply unit	10 Blister each containing 10 capsules are packed in a printed mono carton (NLT 300 gsm) for secondary packaging. 100 such mono cartons packed in cardboard carton NLT 3 ply.		
Special Storage	Store protected from light and moisture.		
Shelf Life	Minimum 24 Months. At least 3/4 th shelf life must be available at the time of delivery to the designated store.		

	Cefixim Tablets 400mg
INN/Generic Name	Cefixim Tablets.
Dosage form	Tablets
Strength	Each tablet contains- Cefixim 400mg
Standard	API should meet the monograph requirement/Tablet should meet general requirement stated under tablet and specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043.
Basic Unit	1×10 Tablets Blister pack





Tablets should be packed in an Aluminum - Aluminum Blister pack.	
Aluminum foils Thickness -NLT 40 micron and 60 gsm.	
10 Blisters each containing 10 cefixim tablets are packed in a printed mono carto	
(NLT 300 gsm) for secondary packaging. 25 such mono carton packed	
cardboard carton NLT 3 ply.	
Store at room temperature, protected from moisture and light.	
Minimum 24 Months. At least 3/4th shelf life must be available at the time of delivery to the designated store.	

	Nitrofurantion 100mg	
INN/Generic Name	ame Nitrofurantion Tablets.	
Dosage form	Tablets	
Strength	Each tablet contains- Nitrofurantion 100mg	
Standard	API should meet the monograph requirement/Tablet should meet general requirement stated under tablet and specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043.	
Basic Unit	1×10 Tablets Blister pack	
Primary Pack	Nitrofurantion tablets should be packed in an Aluminum-PVDC coated amber colored/ opaque PVC film blister pack. PVC film thickness: NLT 250 micron with 60 gsm PVDC coating Aluminum Foil Thickness: NLT 25 micron	
Quantity primary pack in supply unit	10 Blisters each containing 10 Nitrofurantion tablets are packed in a printed mono carton (NLT 300 gsm) for secondary packaging. 25 such mono carton packed in cardboard carton NLT 3 ply.	
Special Storage	Store at room temperature, protected from moisture and light.	
Shelf Life	Minimum 24 Months. At least 3/4th shelf life must be available at the time of delivery to the designated store.	


Aceclofenac Tablets 100mg			
INN/Generic Name	Aceclofenac Tablets.		
Dosage form	Tablets	As the second second	
Strength	Each tablet contains-		
	Aceclofenac	100mg	



Standard	API should meet the monograph requirement/Tablet should meet general requirement stated under tablet and specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043.
Basic Unit	1×10 Tablets Blister pack
Primary Pack	Tablets should be packed in an Aluminum - Aluminum Blister pack. Aluminum foils Thickness -NLT 40 micron and 60 gsm.
Quantity primary pack in supply unit	10 Blisters each containing 10 Aceclofenac tablets are packed in a printed mono carton (NLT 300 gsm) for secondary packaging. 25 such mono carton packed in cardboard carton NLT 3 ply.
Special Storage	Store at room temperature, protected from moisture and light.
Shelf Life	Minimum 24 Months. At least 3/4th shelf life must be available at the time of delivery to the designated store.

	Calcium carbonate 500mg	
INN/Generic Name	Calcium Carbonate Tablets.	
Dosage form	Tablets	
Strength	Each tablet contains- Calcium carbonate 500mg	
Standard	API should meet the monograph requirement/Tablet should meet general requirement stated under tablet and specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043.	
Basic Unit	1×10 Tablets Blister pack	
Primary Pack	Calcium carbonate tablets should be packed in an Aluminum-PVDC coated amber colored/ opaque PVC film blister pack. PVC film thickness: NLT 250 micron with 60 gsm PVDC coating Aluminum Foil Thickness: NLT 25 micron	
Quantity primary pack in supply unit	10 Blisters each containing 10 calcium tablets are packed in a printed mono carton (NLT 300 gsm) for secondary packaging. 25 such mono carton packed in cardboard carton NLT 3 ply.	
Special Storage	Store at room temperature, protected from moisture and light.	
Shelf Life	Minimum 24 Months. At least 3/4th shelf life must be available at the time of delivery to the designated store.	

Mefenamic Tablets 500mg





INN/ Generic Name	Mefenamic Tablets
Dosage form	Tablets
Strength	Each film coated tablet contain- Mefenamic acid 500mg
Standard	API should meet the monograph requirement/Tablet should meet general requirement stated under tablet and specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043.
Basic Unit	1×10 tablet Blister pack
Primary Pack	Mefenamic acid tablets should be packed in an Aluminum-PVDC coated amber colored/ opaque PVC film blister pack. PVC film thickness: NLT 250 micron with 60 gsm PVDC coating Aluminum Foil Thickness: NLT 25 micron
Quantity primary pack in supply unit	
Special Storage	Store protected from light and moisture.
Shelf Life	Minimum 24 Months. At least 3/4th shelf life must be available at the time of delivery to the designated store.

	Norethisterone Tablet 5mg	
INN/Generic Name	Norethisterone Tablet	
Dosage form	Tablet	
Strength	Each film coated tablet contain- Norethisterone 5mg	
Standard	API should meet the monograph requirement/capsule should meet general requirement stated under capsule given in any pharmacopoeia recognized by Drug Standard Regulation 2043 and specific requirement of manufacturer in house product specification.	
Basic Unit	1×10 Tablets Blister pack	
Primary Pack	Tablet should be packed in an Aluminum-PVDC coated PVC film blister pack. PVC film thickness: NLT 300 micron with 60 gsm PVDC coating Aluminum Foil Thickness: NLT 25 micron	





Quantity primary pack in supply unit	10 Blister each containing 10 Norethisterone Tablets are packed in a printed mono carton (NLT 300 gsm) for secondary packaging, 100 such mono cartons packed in cardboard carton NLT 3 ply.
Special Storage	Store protected from light and moisture.
Shelf Life	Minimum 24 Months. At least 3/4 th shelf life must be available at the time of delivery to the designated store.

Methylcobalamin Tablets 1500mcg	
INN/Generic Name	Methylcobalamin Tablets.
Dosage form	Tablets
Strength	Each tablet contains- Methylcobalamin 1500mcg
Standard	API should meet the monograph requirement/Tablet should meet general requirement stated under tablet and specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043.
Basic Unit	1×10 Tablets Blister pack
Primary Pack	Tablets should be packed in an Aluminum - Aluminum Blister pack. Aluminum foils Thickness -NLT 40 micron and 60 gsm.
Quantity primary pack in supply unit	10 Blisters each containing 10 Methylcobalamin tablets are packed in a printed mono carton (NLT 300 gsm) for secondary packaging. 25 such mono carton packed in cardboard carton NLT 3 ply.
Special Storage	Store at room temperature, protected from moisture and light.
Shelf Life	Minimum 24 Months. At least 3/4th shelf life must be available at the time of delivery to the designated store.

Pantoprazole Tablets 40mg	
INN/Generic Name	Pantoprazole Tablets.
Dosage form	Tablets
Strength	Each tablet contains- Pantoprazole 40mg
Standard	API should meet the monograph requirement/Tablet should meet general requirement stated under tablet and specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043.
Basic Unit	1×10 Tablets Blister pack





Primary Pack	Tablets should be packed in an Aluminum - Aluminum Blister pack. Aluminum foils Thickness -NLT 40 micron and 60 gsm.
Quantity primary pack in supply unit	10 Blisters each containing 10 Pantoprazole tablets are packed in a printed mono carton (NLT 300 gsm) for secondary packaging. 25 such mono carton packed in cardboard carton NLT 3 ply.
Special Storage	Store at room temperature, protected from moisture and light.
Shelf Life	Minimum 24 Months. At least 3/4th shelf life must be available at the time of delivery to the designated store.

to a control of the Association	LosartanTablets 50mg
INN/Generic Name	Losartan Tablets.
Dosage form	Tablets
Strength	Each tablet contains- Losartan Potassium 50mg
Standard	API should meet the monograph requirement/Tablet should meet general requirement stated under tablet and specific requirement of the individual product monograph given in any pharmacopoeia recognized by Drug Standard Regulation 2043.
Basic Unit	1×10 Tablets Blister pack
Primary Pack	Losartan tablets should be packed in an Aluminum-PVDC coated amber colored/opaque PVC film blister pack.
	PVC film thickness: NLT 250 micron with 60 gsm PVDC coating
	Aluminum Foil Thickness: NLT 25 micron
Quantity primary pack in supply unit	10 Blisters each containing 10 Losartan tablets are packed in a printed mono carton (NLT 300 gsm) for secondary packaging. 25 such mono carton packed in cardboard carton NLT 3 ply.
Special Storage	Store at room temperature, protected from moisture and light.
Shelf Life	Minimum 24 Months. At least 3/4th shelf life must be available at the time of delivery to the designated store.

प्रमुख प्रशासकीय अधिल्ह

E