धनगढी उप महानगरपालिका

उप महानगर कार्यपालिकाको कार्यालय

धनगढी, कैलाली

सुदूरपश्चिम प्रदेश, नेपाल

आ.व. २०७८/०७९ को स्वीकृत नगर दररेट

धनगढी, कैलाली

२०७८

Scanned with CamScanner

क. सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
1	अदक्ष (ज्यामी)	श्रमदिन	520	580	610
2	दक्ष (मिस्त्री)	"	760	850	890
3	चौकिदार	"	५२०	५८०	६१०
4	क्याम्प वर्कर.	"	५२०	५८०	६१०
5	चैनमेन	"	५२०	५८०	६१०
13	प्लम्बर	"	६२०	६९५	७३०
14	प्लम्बिङ हेल्पर	"	५२०	५८०	६१०
15	हेल्पर (खलासी)	"	५२०	५८०	६१०
16	सुपरभाईजर (साधारण)	"	५२०	५८०	६१०
17	सिनियर सुपरभाईजर (तालीम प्राप्त)	"	५५०	६१५	६५०
18	सडक सुपरभाईजर	"	५२०	५८०	६१०
19	लेन्थ वर्कर दैनिक ज्यालादारीमा	"	५२०	५८०	६१०
20	लेन्थ वर्कर (रोड बोर्ड तर्फ करारमा)	"	५२०	५८०	६१०
21	सडक सुपरभाइजर (रोड बोर्ड तर्फ करारमा)	"	५२०	५८०	६१०
22	सिचाइ ढाल्पा	"	५२०	५८०	६१०
23	सिचाइ गेट अपरेटर	"	५२०	५८०	६१०
24	डाईभर	"	नेपाल सरकारको शुरु तलबमानलाई २६ दिनले भाग गरी आउने रकम लाई प्रति दिनको ज्याला कायम गर्ने	नेपाल सरकारको शुरु तलबमानलाई २६ दिनले भाग गरी आउने रकम लाई प्रति दिनको ज्याला कायम गर्ने	नेपाल सरकारको शुरु तलबमानलाई २६ दिनले भाग गरी आउने रकम लाई प्रति दिनको ज्याला कायम गर्ने
25	अमिन	"			
26	कम्प्युटर अप्रेटर	"			
27	ईन्जिनियर	"			
28	सव–ईन्जिनियर	"			
29	ल्याव टेक्निसियन (ना.सु. वा खरिदार सरह)	"			
30	**इक्विपमेन्ट अपरेटर**				
30.1	हेवि	श्रमदिन			
30.2	लाइट	"			
31	नाला तथा सेप्टी टंकी सफा गर्ने कार्य	"	७३०	८१५	८५५
30	**Mechanically treated earth work for Road and Canal including mobilization and de-mobilization of machine**				
30.01	Excavation in Ordinary soil	cum	70	७०	७२
30.02	Excavation in Hard soil	cum	95	९५	९७
30.03	Excavation in Ordinary Rock	cum	290	२९०	२९५
30.04	Excavation in Medium Rock	cum	450	४५०	४६०
30.05	Excavation in Hard Rock	cum	1700	१७००	१७३०
30.06	Landslide clearance	cum	70	७०	७२

क्र. सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
30.07	Landslide clearance (rocks to be broken)	cum	100	१००	१०२
31	**मानिस व्दारा ढुवानी गर्ने**				
31.01	सजिलो भारी पहाडको लागी	रु/केजी/कि मी	1.66	1.66	1.66
31.02	असजिलो भारी "	"	1.79	1.79	1.79
31.03	सजिलो भारी तराईको लागी	"	1.27	1.27	1.27
31.04	असजिलो भारी "	"	1.4	1.4	1.4
31.05	झोलुंगे पुलका लट्ठा बोक्ने	"	2.87	2.87	2.87
31.06	एच.डि.पि./जि.आई पाईप वोक्ने	"	2.87	2.87	2.87
31.07	विरुवा ढुवानी पहाडमा	"	2.74	2.74	2.74
31.08	विरुवा ढुवानी तराइमा	"	2.16	2.16	2.16
32	**गाडा, रिक्सा र ठेलाव्दारा ढुवानी गर्ने कार्य**				
32.01	पिच रोडमा	"	0.39	0.39	0.39
32.02	ग्रावेल सडकमा	"	0.46	0.46	0.46
32.03	कच्ची (माटो) सडकमा	"	0.43	0.43	0.43
33	**लोड । अनलोड गर्ने काम**				
33.01	फलामे सामान	क्वीन्टल	46.59	46.59	46.59
33.02	सिमेन्ट (५० केजी.)	ब्याग	18.63	18.63	18.63
33.03	अन्य सामान (खाद्य सामाग्री समेत)	क्वीन्टल	13.31	13.31	13.31
34	**ट्रक तथा अन्य निर्माण उपकरण भाडा**		सडक विभागबाट निर्धारित दररेट अनूसार		
35	**वन संवन्धि कामको लागि**				
35.01	मार्किंग	प्रति रुख	22.14	22.14	23.24
35.02	कटान मुछ्यान	घन फूट	31.86	31.86	33.45
35.03	वोक्रा झिक्ने	"	5.4	5.4	5.67
35.04	जरा निमाल्ने कार्य (गोलाइ ३० से.मी. सम्म)	प्रति जरा	300	300	315
35.05	जरा निमाल्ने कार्य (गोलाइ ३१ से.मी. देखी ६० से.मी. सम्म)	प्रति जरा	400	400	420
35.06	जरा निमाल्ने कार्य (गोलाइ ६० से.मी. भन्दा वढी)	प्रति जरा	500	500	525
35.07	जरा ढुवानी (गोलाइ ३० से.मी. सम्म) २५ कि.मि. सम्म	प्रति जरा	100	100	105
35.08	जरा ढुवानी (गोलाइ ३१ से.मी. देखी ६० से.मी. सम्म) २५ कि.मि. सम्म	प्रति जरा	150	150	157

क्र. सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
35.09	जरा ढुवानी (गोलाइ ६० से.मी. भन्दा बढी) २५ कि.मि. सम्म	प्रति जरा	200	200	210
36	**यार्डिंग**				
36.01	क) पहाडि भिराला क्षेत्रमा गोलिया	घन फूट	99.00	99	104
36.02	ख) तराईमा गोलिया	"	14.00	14	14.7
36.03	ग) पहाडि भिराला क्षेत्रमा दाउरा	चट्टा	3888.00	3888	4080
36.04	घ) तराई क्षेत्रमा दाउरा	चट्टा	648.00	648	680
37	पाईलिग	"	16.00	16	16.5
38	लोडिग (गोलिया)	"	21.00	21	22
39	अनलोडिग	"	13.00	13	13.5
40	**ढुवानी (वन जंगल क्षेत्रमा) गोलिया**				
40.01	० देखि ३ कि.मि. सम्म	घन फुट	34.00	34.00	35.00
40.02	४ देखि ७ कि.मि. सम्म	"	37.80	37.80	39.00
40.03	८ देखि १२ कि.मि. सम्म	"	38.80	38.80	40.00
40.04	१३ देखि १६ कि.मि. सम्म	"	41.00	41.00	43.00
40.05	१७ देखि २० "	"	45.90	45.90	48.00
40.06	२१ देखि २४ "	"	46.40	46.40	48.00
40.07	२५ देखि ३० "	"	52.90	52.90	55.00
40.08	३० कि.मि. देखि माथि प्रति कि.मि. मा थप	"	1.90	1.90	1.99
41	**ढुवानी गोलिया काठ र चिरानी काठ ढुवानी (घाटगद्दी देखि मिल र मिल देखि डिपो सम्म)**				
41.01	० देखि ५ कि.मि. सम्म	घन फुट	18.90	18.90	19.00
41.02	६ देखि १० कि.मि. सम्म	"	21.60	21.60	22.00
41.03	११ देखि १५ कि.मि. सम्म	"	23.70	23.70	24.00
41.04	१६ देखि २० कि.मि. सम्म	"	30.20	30.20	31.00
41.05	२१ देखि २५ कि.मि. सम्म	"	31.50	31.50	33.00
41.06	२६ देखि ३० कि.मि. सम्म	"	32.90	32.90	34.00
41.07	३१ देखि ४० कि.मि. सम्म	"	34.00	34.00	35.00
41.08	४० कि.मि. देखि माथि प्रति कि.मि. मा थप	"	1.80	1.80	1.90
४२	चिरान पाईलिङ्ग	घ.मी.	15.10	15.10	15.80
४३	चिरान लोडिग	"	14.00	14.00	14.50
४४	चिरान अनलोडिग	"	10.10	10.10	10.50
45	**दाउरा कटानी संवन्धि**				
45.1	कटान मुछ्यान (२० x ५ x ५) फिट	चट्टा	5000.00	5000.00	5200.00
45.2	लोड अनलोड	"	2770.00	2770.00	2880.00
45.3	चट्टा निर्माण	"	1890.00	1890.00	1965.00

क्र. सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
45.4	ढुवानी २५ कि.मि. सम्म	"	5162.00	5162.00	5368.00
45.5	ढुवानी २५ कि.मि.भन्दा माथि थप प्रत्येक कि.मि. का लागि	"	251.00	251.00	261.00
46	हरेक गोलियमा ईनामेलले गोलियाको साईज, र नं. एवं लट नं. समेत स्पष्ट बुझिने गरी लेख्ने कामका लागि	गोलिया	6.00	6.00	6.20
47	चिरान उत्पादन गर्ने कार्य	घ.फी.	69.00	69.00	71.00
48	उत्पादित चिरान बाहेक भुस,वाकल, तोकिएको स्थानमा फाल्ने कार्य	प्रति क्यीन्टल	27.00	27.00	28.00
49	अन्य साइज तथा सह उतपादन कार्य	प्रति क्यीन्टल	88.00	88.00	91.00
50	वाकल लोड गर्ने कार्य	प्रति क्यीन्टल	44.00	44.00	45.00
51	वाकल अन लोड गर्ने कार्य	प्रति क्यीन्टल	15.00	15.00	15.50
52	१०० मी. टाढाबाट गोलिया मिलडेकसम्म बेलान गर्ने कार्य	घ.फी.	15.00	15.00	15.50
53	चिरान काठमाण्डौ सिपमेण्ट	घ.फी.	213.00	213.00	221.00
54	दाउरा काठमाण्डौ सिपमेण्ट	क्विटल	686.00	686.00	713.00
55	भाडाको स:मिलवाट गोलिया काठ चिरान गर्नुपर्दा गोलियामा	घ.फी.	103.00	103.00	107.00
56	घाटगद्धी स्थानवाट स:मिल सम्म गोलिया काठ ढूवानी गर्दा लोड	घ.फी.	35.00	35.00	36.00
57	घाटगद्धी स्थानवाट स:मिल सम्म गोलिया काठ ढूवानी गर्दा अनलोड	घ.फी.	7.90	7.90	8.00
58	ट्रकजान नसक्ने अवस्थामा स्थान देखी सडक सम्म टेक्टर वाट गोलिया झिकाउने	घ.फी.	12.50	12.50	13.00
59	सहजपुर, पण्डौन, निगाली र सुगरखाल क्षेत्रको रा.व. बाट गोलिया काठको कटान, मुछ्यानसहित पहाडी बेलान	घ.फी.	270.00	270.00	280.00
60	छपान गरेको रुखको फोटो खिंचेको	गोटा	10.00	10.00	10.40
61	घाटगद्धीवाट दाउरा ढूवानी गर्दा लोड अनलोड	चट्टा	7000.00	7000.00	7280.00
62	**जलवायु कार्यको लागी**				
62.1	गेज रिडर	श्रम दिन	405.00	405.00	421.00
62.2	अब्जरभर	"	226.00	226.00	235.00
63	हलुका सवारी साधन (जीप) भाडा ईन्धन सहीत	कार्य दिन	4860.00	4860.00	5054.00
64	सर्भे ईक्युप्मेन्ट भाडा (टोटल स्टेशन सेट)	"	3240.00	3240.00	3369.00

क्र. सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
65	घर भाडा	महिना	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार
	भवनको प्लीन्थ एरिया दर (मुआब्जा प्रयोजनको लागी)				
66	फेम स्ट्रक्चर पक्की भवन सिमेन्ट मसालमा				
66.01	ग्राउन्ड फ्लोर	वर्ग फिट	2200.00	2200.00	2288.00
66.02	अन्य फ्लोर	वर्ग फिट	1760.00	1760.00	1830.00
67	लोड वियरिङ्ग पक्की भवन सिमेन्ट मसाल				
67.01	ग्राउन्ड फ्लोर	वर्ग फिट	2200.00	2200.00	2288.00
67.02	अन्य फ्लोर	वर्ग फिट	1463.00	1463.00	1521.00
68	लोड वियरिङ्ग पक्की भवन माटोको जोडाईमा				
68.01	ग्राउन्ड फ्लोर	वर्ग फिट	1320.00	1320.00	1372.00
68.02	अन्य फ्लोर	वर्ग फिट	1023.00	1023.00	1063.00
69	लोड वियरिङ्ग भवन टाईलको छाना भएको	वर्ग फिट	1023.00	1023.00	1063.00
	शिलालेख लेख्ने कार्य				
70	मार्वलमा				
70.01	अक्षर माथी उठेको	वर्ग फिट	2915.00	2915.00	3031.00
70.02	अक्षर तल दवेको	वर्ग फिट	2332.00	2332.00	2425.00
71	पित्तलमा				
71.01	अक्षर माथी उठेको	वर्ग फिट	4081.00	4081.00	4244.00
71.02	अक्षर तल दवेको	वर्ग फिट	3498.00	3498.00	3637.00
72	तामामा				
72.01	अक्षर माथी उठेको	वर्ग फिट	4664.00	4664.00	4850.00
72.02	अक्षर तल दवेको	वर्ग फिट	4081.00	4081.00	4244.00

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
1	**ईटा नेपाल स्टान्डर्डको**				
1.1	अव्वल (एक नम्बर) – चिम्नी भट्टाको	१०००	12500	13000	13200
1.2	दुई नम्बर (लालपेटी) – चिम्नी भट्टाको	१०००	9900	10000	10000
1.3	ओवर बर्न्ड/अण्डर बर्न्ड – चिम्नी भट्टाको	१०००	7700	8000	9000
1.4	टुक्रा	ट्राली	6820	7000	7000
1.5	मेसिनबाट उत्पादित ईटा (१ नम्बर)	१०००		11500	11700
2	**सिमेन्टको ईटा**				
2.1	Compressed Interlocking Concrete Block 12"*6"*4"	गोटा		38	39
3	**वालुवा , ढुंगा र माटो**				
3.1	वालुवा	घ.मि.	नर्मस् अनुसार		
3.2	धोएको वालुवा	घ.मि.	600	660	710
3.3	खोलाको ढुंगा	घ.मि.	नर्मस् अनुसार		
3.4	कुदेको „	घ.मि.			
3.5	वण्ड „	घ.मि.			
3.6	माटो खरिद धनगढी उ.म.न.पा. भित्र	घ.मि.	380	450	400
3.7	माटो खरिद अन्य क्षेत्रमा	घ.मि.			300
4	**गिट्टी क्रसरको**				
4.1	४० मि.मि. ढुवानी वाहेक	घ.मि	1320	1320	1250
4.2	२० मि.मि. „	घ.मि	1800	1800	1800
4.3	१० मि.मि. „	घ.मि	1150	1150	1300
4.4	६ मि.मि „	घ.मि	1450	1450	1500
4.5	ढुङ्गाको धूलो „	घ.मि	550	605	650
5	**खोलाको छानेको गोलो गिट्टी**				
5.1	४० मि.मि. ढुवानी वाहेक	घ.मि	नर्मस् अनुसार		
5.2	२० मि.मि. „	घ.मि			
5.3	१० मि.मि. „	घ.मि			
5.4	४ मि.मि. देखि १० मि.मि सम्म	घ.मि			
6	**सिमेन्ट**				
6.1	४३/५३ ग्रेड ५० केजीको PPC (NS)	बोरा	750	750	750
6.2	४३/५३ ग्रेड ५० केजीको OPC (NS)	बोरा	850	850	850
6.3	सेतो सिमेन्ट	के.जी.	38	32.5	35.0
7	**काठ**				
7.1	साल	घ.मी.	194000	203700	211000
7.2	सिसम	घ.मी.	135000	141750	146800
7.3	सल्लो	घ.मी.	48000	50400	52200
7.4	कुकाठ	घ.मी.	33000	34650	35800
8	**बांस (७ मी लम्बाइ)**				
8.1	धनगढी नपा. क्षेत्रमा	गोटा	390	390	390
8.2	धनगढी नपा. वाहेकका क्षेत्रमा	गोटा	340	340	340
9	**ग्रेनाइट/मार्बल**				

क.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
9.01	१६ मि.मि. वाक्लो ग्रेनाइट	व.मी.			3800
9.02	१३ मि.मि. वाक्लो ग्रेनाइट	व.मी.			3000
9.03	१६ मि.मि. वाक्लो मार्वल	व.मी.	2920	2920	2920
9.04	१३ मि.मि. वाक्लो मार्वल	व.मी.	1460	1460	1600
9.05	मार्वल चिप्स (३ मि.मी.को)	के.जी.	20	20	20
9.06	मार्वल चिप्स (५ मि.मी.को)	के.जी.	21	21	21
9.07	अक्जालीक एसिड पाउडर	के.जी.	170	170	170
9.08	मैन पोलिस	के.जी	620	620	620
9.09	कार्वोरेन्डम ढुंगा (२ x २ x ४ ईन्ची)	गोटा	645	645	645
10	**टाईल (Procelain Glazed & Non-skid Tiles)**				
10.01	12"*18" Wall Tile	व.फि.	80	100	100
10.02	12"*24" Wall Tile	व.फि.		120	125
10.03	16"*32" Wall Tile	व.फि.		130	135
10.04	12"*12" Floor Tile	व.फि.	80	100	100
10.05	24"*24" Vertified Tile-Plain Ivory	व.फि.	150	106	110
10.06	24"*24" Doube Charged Vertified Tile-Light Shade	व.फि.		115	120
10.07	24"*24" Doube Charged Vertified Tile-Dark Shade	व.फि.		125	130
10.08	16"*16" Parking Tile- 12mm thickness			110	115
11	**Bitumen/ Emulsion/Anti stripping additive**				
11.1	Bitumen 80/100 grade	के.जी.	नेपाल विटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।	नेपाल विटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।	नेपाल विटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।
11.2	ईमल्सन Medium Setting with 65% Bitumen (M/S 65%)	के.जी.			
11.3	Anti stripping additive, ex-factory rate Amlekhgunj	के.जी.	400	400	400
12	**फलामे डण्डी**				
12.1	४.७५ देखि ७ मि.मि.को टीएमटी	के.जी.	९२	८९	९६
12.2	८ मिमि को टीएमटी	के.जी.	९०	८७	९३
12.3	१० देखी २० मि.मि. सम्मका टीएमटी	के.जी.	८५	८२	९०
12.4	२५, २८ र ३२ मि.मि का टीएमटी	के.जी.	९०	८९	९३
12.5	वाईण्डींग तार	के.जी.	११०	१०६	११४
13	**गिट्टी छान्ने तारजाली**				
13.1	२४ गेजको	व.मी.	1000	1000	1000
13.2	२६ गेजको	व.मी.	800	800	800
13.3	एक्सपेण्डेड मेटल वायर मेश	व.मी.	260	260	260
13.4	चिकेन वायर मेश	व.मी.	320	320	320
14	**गेविन जी.आइ. तार**				
14.01	७ र ८ गेजको हेभी	के.जी.	124	124	130

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
14.02	१० " "	के.जी.	124	124	130
14.03	१२ " "	के.जी.	125	125	132
14.04	७ र ८ गेजको मध्यम	के.जी.	118	118	125
14.05	१० " "	के.जी.	118	118	125
14.06	१२ " "	के.जी.	119	119	127
14.07	७ र ८ गेजको कमर्सियल (हल्का)	के.जी.	113	113	122
14.08	१० " "	के.जी.	113	113	122
14.09	१२ " "	के.जी.	113	113	124
14.10	विभिन्न साइजको मेसिनमेड जालीहरु	छुट्टै तालिकामा दिईएअनुसार			
14.11	जीओ-टेक्स्टाइल (१०० ग्राम)	व.मी.	100	100	100
14.12	जीओ-टेक्स्टाइल (१५० ग्राम)	व.मी.	113	113	113
14.13	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-२५० जी.एस.एम.)	व.मी.	415	415	415
14.14	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३०० जी.एस.एम.)	व.मी.	450	450	450
14.15	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३५० जी.एस.एम.)	व.मी.	516	516	516
14.16	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-४०० जी.एस.एम.)	व.मी.	550	550	550
14.17	रङ्गरोगन सहितको ट्राफिक चिन्ह	गोटा	5525	5525	5525
14.18	सौर्य उर्जा सडक स्ट्रड	थान	3825	3825	3825
14.19	साधारण क्याट्स आई	गोटा	575	575	575
14.20	सडकमा लगाउने थर्मोप्लास्टिक रङ्ग	कि.ग्रा.	220	220	220
14.21	सडकमा मार्किङ्ग गर्ने रङ्ग	लीटर	510	510	510
15	काडेतार				
15.1	१२ गेजको	के.जी.	120	120	125
15.2	१४ गेजको	के.जी.	123	123	127
16	किला काँटी बिभिन्न साईज				
16.1	साधारण कीला	के.जी.	115	115	119
16.2	ल्वाङ किला	के.जी.	210	210	218
16.3	नटवोल्ट ६० मि.मिको	के.जी.	210	210	218
16.4	नटवोल्ट ८० मि.मिको	के.जी.	220	220	228
16.5	जे हुक/यू हुक विभिन्न साइजको	के.जी.	135	135	140
16.6	जस्ता पाताको किला	के.जी.	160	160	166
16.7	५० मि.मि.को पेच किला	गोटा	3.6	3.6	3.7
16.8	६० मि.मि. को पेच किला	गोटा	4.2	4.2	4.3
17	बिटुमिन वासर	पेकेट	36	36	37.4
18	होल्ड फाष्ट	के.जी.	145	145	150
19	कब्जा				
19.1	कब्जा ६ इन्ची	गोटा	51	50.88	52
19.2	" ४ "	गोटा	28	27.56	28
19.3	" ३ "	गोटा	21	21.2	22

क.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
20	छेस्कीनी				
20.1	६" स्टील	गोटा	80	80	82
20.2	४" स्टील	गोटा	75	75	77
20.3	६" पितलको	गोटा	250	250	258
20.4	४" ,,	गोटा	200	200	206
20.5	६" अलम्युनिम	गोटा	100	100	103
20.6	४" ,,	गोटा	90	90	93
21	डोर लकिङ सेट/अल्ड्राफ (वेलन)				
21.1	१०" स्टील	सेट	215	215	221
21.2	१२" ,,	सेट	270	270	278
21.3	१० " पितलको	सेट	1115	1115	1148
21.4	१२ " पितलको	सेट	1280	1280	1318
21.5	१० " अलम्युनियम	सेट	430	430	443
21.6	१२ " अलम्युनियम	सेट	540	540	556
22	हेण्डील				
22.1	६" स्टील	गोटा	50	50	52
22.2	४" ,,	गोटा	40	40	41
22.3	६" पितलको	गोटा	250	250	258
22.4	४" ,,	गोटा	160	160	165
22.5	६" अलम्युनिम	गोटा	60	60	62
22.6	४" ,,	गोटा	55	55	57
22.7	मोर्टिस ताला ढोकाको साधारण	गोटा	1060	1060	1090
22.8	,, ,, राम्रो पित्तल	गोटा	2210	2210	2275
23	डोर स्प्रीङ (जाली ढोकाको)				
23.1	साधारण	गोटा	360	360	371
23.2	मध्यम	गोटा	1100	1100	1133
23.3	राम्रो	गोटा	2000	2000	2060
24	ग्लास				
24.1	३.५ मिमी.	व.फु.	70	70	72
24.2	४ मिमी.	व.फु.	80	80	82
24.3	४ मिमी.(रगिंन)	व.फु.	88	88	91
24.4	५.० मिमी.	व.फु.	100	100	103
24.5	५.० मिमी.(रगिंन)	व.फु.	120	120	124

क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
25	प्लाइउड				
25.01	३ मिमी. कमर्सियल	व.फु.	35	35	36
25.02	४ मिमी. कमर्सियल	व.फु.	26	26	27
25.03	६ मिमी. कमर्सियल	व.फु.	36	36	37
25.04	८ मिमी. कमर्सियल	व.फु.	55	55	57
25.05	१० मिमी. कमर्सियल	व.फु.	58	58	60
25.06	१२ मिमी. कमर्सियल	व.फु.	82	82	84
25.07	४ मिमी. वाटरप्रुफ	व.फु.	52	52	54
25.08	६ मिमी. वाटरप्रुफ	व.फु.	67	67	69
25.09	८ मिमी. वाटरप्रुफ	व.फु.	63	63	65
25.10	९ मिमी. वाटरप्रुफ	व.फु.	89	89	92
25.11	१२ मिमी. वाटरप्रुफ	व.फु.	110	110	113
25.12	१९ मिमी. कमर्सियल भित्र काठ राखेको	व.फु.	110	110	113
25.13	१९ मिमी. कमर्सियल भित्र काठ नराखेको	व.फु.	120	120	124
25.14	१९ मिमी. वाटरप्रूफ	व.फु.	150	150	155
25.15	टिक प्लाइउड ४ मी.मी. (Natural texure)	व.फु.	62	62	64
25.16	टिक प्लाइउड ४ मी.मी. (Simple texure)	व.फु.	62	62	64
25.17	12mm thick 8'*4* Film Coated Ply	व.फु.		96	96
25.18	19mm thick 8'*4* Film Coated Ply	व.फु.		160	160
25.19	32m thick Paandoor Flush Door of Differnet Size	व.फु.		275	275
26	लेमिनेटेड पार्टिशन बोर्ड				
26.1	४ मिमी.	व.फु.	20	20	21
26.2	९ मिमी.	व.फु.	70	70	72
26.3	१२ मिमी.	व.फु.	210	210	216
26.4	१८ मिमी.	व.फु.	315	315	324
26.5	२५ मिमी	व.फु.	450	450	464
27	सनमाईका तथा फरमाईका				
27.1	सनमाईका (४'×८')	व.फु.		17	17
27.2	फोरमाईका	व.फु.		75	75
28	**Gypsum Board**				
28.1	12.5mm thick Gypsum Board False ceiling including all necessary material -Simple	व.फु.		83	83
28.2	12.5mm thick Gypsum Board False ceiling including all necessary material -Designed	व.फु.		91	91
29	**Fiber Cement Board**				
29.1	6mm thick (6'*4')	व.फु.		35	35
29.2	8mm thick (8'*4')	व.फु.		48	84
29.3	10mm thick (8'*4')	व.फु.		57	57

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
29.4	16mm thick (8'*4')	व.फु.		70	70
29.5	20mm thick (8'*4')	व.फु.		90	90
29.6	Fiber Cement Board Wall Pannel-50mm (70-80 Kg/pc)	व.फु.		132	132
29.7	Fiber Cement Board Wall Pannel-75mm (100-110 Kg/pc)	व.फु.		168	168
29.8	Cement Board Flse Ceiling- 2'*2' Plain	व.फु.		84	84
30	**Sandwich PUF Panel**				
30.10	50mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.		255	255
30.20	75mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.		300	300
30.30	100mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.		365	365
30.40	150mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.		430	430
30.50	30mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.		230	230
30.60	40mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.		250	250
30.70	50mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.		275	275
30.80	0.4mm thick Ridge Cap	र.फि		180	180
31	**जस्ता पाता (सिजिआई सीट)**				
31.1	0.35 mm (26 guage light)	वण्डल	8000	8000	8240
31.2	0.37 mm (26 guage Medium)	वण्डल	8900	8900	9165
31.3	0.41 mm (26 guage Heavy)	वण्डल	9800	9800	10090
31.4	0.45 mm (24 guage light)	वण्डल	9700	9900	10190
31.5	0.50 mm (24 guage Medium)	वण्डल	10500	10500	10815
31.6	0.52 mm (24 guage Heavy)	वण्डल	12000	12000	12360
32	**जि आई प्लेन सीट**				
32.1	३×६ फीट २६ गेजको मिडियम	गोटा	690	690	710
32.2	३×६ फीट २४ गेजको मिडियम	गोटा	720	720	740
33	**रंगीन जस्ता पाता (सिजिआई सीट)**				

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
33.1	0.35 mm (26 guage light)	वण्डल	10200	10200	10500
33.2	0.37 mm (26 guage Medium)	वण्डल	10500	10500	10810
33.3	0.41 mm (26 guage Heavy)	वण्डल	11500	11500	11840
33.4	0.45 mm (24 guage light)	वण्डल	12200	12200	12560
33.5	0.50 mm (24 guage Medium)	वण्डल	13200	13200	13595
33.6	0.52 mm (24 guage Heavy)	वण्डल	14000	14000	14420
34	रंगीन प्लेन सीट				
34.1	३×६ फीट २४ गेजको	गोटा	1100	1100	1130
34.2	३×६ फीट २६ गेजको	गोटा	900	900	925
	फलामे सामग्री				
35	फलामको स्क्वायर पाईप र गोलो पाईप	के.जी.	99	99	110
36	विभिन्न साइजको एंगल, चेनल, टी, फ्ल्याट इत्यादि	के.जी.	94	94	102
37	कालो पाईपको तयारी ट्रस	के.जी.	120	120	132
38	३×२०मि.मि./४.५×२०मि.मि तयारी ग्रील	के.जी.	115	115	130
39	फलामे गेट (घर कम्पाउण्डको)	के.जी.	120	120	130
40	च्यानल गेट (घर कम्पाउण्डको)	के.जी.	120	120	130
41	च्यानल एंगल गेट (घर कम्पाउण्डको)	के.जी.	120	120	130
42	कोल्याप्सीवल गेट	के.जी.	120	120	130
43	रोलिङ सटर				
43.1	१८ गेजको ब्ल्याकसीट	व.फु.	145	145	150
43.2	२०गेजको ब्ल्याकसीट	व.फु.	140	140	145
44	रबरसिल				
44.1	क्यानल लाईनिङ्ग	मी.	1000	1000	1000
44.2	गेटको लागि	मी.	3000	3000	3000
	पाइप, फिटिङ्ग तथा टंकी (खानेपानी, सिचाई सम्बन्धि)				
45	जि. आई पाईप				
45.01	½"ø को लाइट	र.मी.	145.00	145.00	145.00
45.02	½"ø को मिडियम	र.मी.	170.00	170.00	170.00
45.03	½"ø को हेवी	र.मी.	200.00	200.00	200.00
45.04	३/४"ø को लाइट	र.मी.	200.00	200.00	200.00
45.05	३/४"ø को मिडियम	र.मी.	215.00	215.00	215.00
45.06	३/४"ø को हेवी	र.मी.	255.00	255.00	255.00
45.07	१"ø को लाइट	र.मी.	275.00	275.00	275.00
45.08	१"ø को मिडियम	र.मी.	325.00	325.00	325.00
45.09	१"ø को हेवी	र.मी.	380.00	380.00	380.00
45.10	१¼"ø को लाइट	र.मी.	370.00	370.00	370.00
45.11	१¼"ø को मिडियम	र.मी.	420.00	420.00	420.00
45.12	१¼"ø को हेवी	र.मी.	485.00	485.00	485.00
45.13	१½"ø को लाइट	र.मी.	435.00	435.00	435.00
45.14	१½"ø को मिडियम	र.मी.	485.00	485.00	485.00

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
45.15	१½"ø को हेवी	र.मी.	560.00	560.00	560.00
45.16	२"ø को लाइट	र.मी.	550.00	550.00	550.00
45.17	२"ø को मिडियम	र.मी.	660.00	660.00	660.00
45.18	२"ø को हेवी	र.मी.	815.00	815.00	815.00
45.19	२½"ø को लाइट	र.मी.	760.00	760.00	760.00
45.20	२½"ø को मिडियम	र.मी.	845.00	845.00	845.00
45.21	२½"ø को हेवी	र.मी.	1020.00	1020.00	1020.00
45.22	३"ø को लाइट	र.मी.	890.00	890.00	890.00
45.23	३"ø को मिडियम	र.मी.	1045.00	1045.00	1045.00
45.24	३"ø को हेवी	र.मी.	1200.00	1200.00	1200.00
45.25	४"ø को लाइट	र.मी.	1275.00	1275.00	1275.00
45.26	४"ø को मिडियम	र.मी.	1550.00	1550.00	1550.00
45.27	४"ø को हेवी	र.मी.	1860.00	1860.00	1860.00
45.28	५"ø को लाइट	र.मी.	2042.00	2042.00	2042.00
45.29	५"ø को मिडियम	र.मी.	2158.00	2158.00	2158.00
45.30	५"ø को हेवी	र.मी.	2431.00	2431.00	2431.00
45.31	६"ø को लाइट	र.मी.	2424.00	2424.00	2424.00
45.32	६"ø को मिडियम	र.मी.	2612.00	2612.00	2612.00
45.33	६"ø को हेवी	र.मी.	2752.00	2752.00	2752.00
45.34	८"ø को लाइट	र.मी.	3387.00	3387.00	3387.00
45.35	८"ø को मिडियम	र.मी.	3993.00	3993.00	3993.00
45.36	८"ø को हेवी	र.मी.	4242.00	4242.00	4242.00
46	एम्. एस्. केसिङ पाईप र फिटिंङ्हरु				
46.01	२५० मि मि ø कसिङ पाईप	मी.	10500	10500	10500
46.02	१५० मि मि ø केसिङ पाईप	मी.	2887	2887	2887
46.03	१५० मि मि ø स्लटेड स्कीन पाइप	मी.	3937	3937	3937
46.04	२०० मि मि ø केसिङ पाईप	मी.	6300	6300	6300
46.05	१०० मि मि ø केसिङ पाईप	मी.	1837	1837	1837
46.06	१२५ मि मि ø केसिङ पाईप	मी.	2500	2500	2500
46.07	Casing Shoe 5" dia	गोटा	4500	4500	4500
46.08	Casing Shoe 6" dia	गोटा	8000	8000	8000
46.09	Casing Shoe 8" dia	गोटा	15000	15000	15000
46.10	150mm dia. .30*.50m Elbow	गोटा	2625	2625	2625
46.11	150mm dia.Non Return Valve	गोटा	18375	18375	18375
46.12	150mm dia. Flange	गोटा	2100	2100	2100
46.13	150mm dia. .45*.15m Tee	गोटा	3150	3150	3150
46.14	150mm dia. Sluice Valve	गोटा	18375	18375	18375
46.15	150mm dia. 3*.3m Bend	गोटा	2625	2625	2625
46.16	200mm dia. .60*.40m Tee	गोटा	5250	5250	5250
46.17	200mm dia. Flange	गोटा	2625	2625	2625
46.18	250mm dia. Flange	गोटा	3675	3675	3675

क.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
46.19	200mm dia. Sluice Valve	गोटा	28875	28875	28875
46.20	200mm dia. .3*.3m Elbow	गोटा	4200	4200	4200
46.21	100mm dia.Non Return Valve (Wt min^m 10Kg)	गोटा	13125	13125	13125
46.22	100mm dia. .15*.15m Elbow	गोटा	1575	1575	1575
46.23	100mm dia. Sluice Valve	गोटा	13125	13125	13125
46.24	100mm dia. Flange (Wt. min^m 6 kg)	गोटा	1312	1312	1312
46.25	४" एम्. एस्. पाईप Screen Knock	गोटा	2100	2100	2100
46.26	माछा छेक्ने जाली स्टेनलेस स्टीलको ५ मि.मी. मेश भएको	व.मी.	577	577	577
46.27	माछा छेक्ने जाली मशीनमेड जी.आई. ५ सेमी. मेश भएको	व.मी.	525	525	525
47	२०० मि.मि. Alpha Alpha Valve	गोटा	4725	4725	4725
48	बटरफ्लाई भल्भ ६"	गोटा	7875	7875	7875
49	बटरफ्लाई भल्भ ४"	गोटा	6825	6825	6825
50	आपतकालिन नदी नियन्त्रण कार्यका लागि नाइलन जाली 6x3x0.75 मि., २०x20 से.मी. ६ मि.मि dia 7.25 kg	गोटा	2200	2200	2200
51	10mm joint filler for canal lining	ब.मि.	1200	1200	1200
52	Polysulphide joint sealer for cana lining	मि.	800	800	800
53	Supplying, fitting, fixing and installation complete work of Steel Gate for HR/CR	के.जी.	300	300	300
54	PVC Water stopper 230mm width 25mm dia center bub	मि.	1100	1100	1100
55	यू.पी.भि.सि. फिटिंग				
55.01	Tee ND 16*16*16 cm (4 Kg/sq.cm)	गोटा	1200	1200	1200
55.02	Tee ND 20*20*20 cm (4 Kg/sq.cm)	गोटा	2250	2250	2250
55.03	Bend ND 200 mm (4 Kg/sq.cm)	गोटा	1750	1750	1750
55.04	Bend ND 160 mm (4 Kg/sq.cm)	गोटा	710	710	710
55.05	Reducer ND 200 mm (4 Kg/sq.cm)	गोटा	1250	1250	1250
55.06	Coupler ND 160 mm (4 Kg/sq.cm)	गोटा	650	650	650
55.07	Coupler ND 200 mm (4 Kg/sq.cm)	गोटा	850	850	850
55.08	End Cap ND 200 mm (4 Kg/sq.cm)	गोटा	1000	1000	1000
55.09	End Cap ND 160 mm (4 Kg/sq.cm)	गोटा	800	800	800
55.10	PVC Coupler Flange 6" dia	गोटा	2500	2500	2500
55.11	Solvent Cement	लि.	550	550	550
56	४"ø सक्सन पाइप	र.मी.	710	710	710
57	४"ø सर्भिस पाइप	के.जी.	275	275	275
58	४"ø भल्व बेण्ड	सेट	2500	2500	2500
59	कस टी				
59.1	१½"ø मिडियम जि.आई. ६ मुखे	गोटा	3255	3255	3255
59.2	१½"ø „ ४ मुखे	गोटा	1890	1890	1890
60	जि.आई. सकेट				
60.1	½"ø को मिडियम	गोटा	42	42	42

क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
60.2	३/४"ø को मिडियम	गोटा	65	65	65
60.3	१"ø को मिडियम	गोटा	84	84	84
60.4	११/४"ø को मिडियम	गोटा	132	132	132
60.5	११/२"ø को मिडियम	गोटा	178	178	178
60.6	२"ø को मिडियम	गोटा	276	276	276
60.7	२१/२"ø को मिडियम	गोटा	463	463	463
60.8	३"ø को मिडियम	गोटा	618	618	618
60.9	४"ø को मिडियम	गोटा	977	977	977
61	जि.आई युनियन				
61.01	१/२"ø को मिडियम	गोटा	128	128	128
61.02	३/४"ø को मिडियम	गोटा	180	180	180
61.03	१"ø को मिडियम	गोटा	242	242	242
61.04	११/४"ø को मिडियम	गोटा	360	360	360
61.05	११/२"ø को मिडियम	गोटा	468	468	468
61.06	२"ø को मिडियम	गोटा	659	659	659
61.07	२१/२"ø को मिडियम	गोटा	772	772	772
61.08	३"ø को मिडियम	गोटा	1740	1740	1740
61.09	४"ø को मिडियम	गोटा	2379	2379	2379
62	जि.आई. निप्पल				
62.01	१/२"ø को मिडियम ६"	गोटा	83	83	83
62.02	३/४"ø को मिडियम ६"	गोटा	114	114	114
62.03	१"ø को मिडियम ६"	गोटा	154	154	154
62.04	११/४"ø को मिडियम ६"	गोटा	206	206	206
62.05	११/२"ø को मिडियम ६"	गोटा	257	257	257
62.06	२"ø को मिडियम ६"	गोटा	360	360	360
63	जि.आई. टी				
63.01	१/२"ø को मिडियम	गोटा	73	73	73
63.02	३/४"ø को मिडियम	गोटा	118	118	118
63.03	१"ø को मिडियम	गोटा	159	159	159
63.04	११/४"ø को मिडियम	गोटा	257	257	257
63.05	११/२"ø को मिडियम	गोटा	309	309	309
63.06	२"ø को मिडियम	गोटा	484	484	484
64	ग्लोब भल्भ				
64.01	१/२"ø को मिडियम	गोटा	764	764	764
64.02	३/४"ø को मिडियम	गोटा	1292	1292	1292
64.03	१"ø को मिडियम	गोटा	1838	1838	1838

क.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
64.04	११/४"ø को मिडियम	गोटा	3573	3573	3573
64.05	११/२"ø को मिडियम	गोटा	4536	4536	4536
64.06	२"ø को मिडियम	गोटा	6024	6024	6024
65	गेट भल्भ (ब्रास)				
65.01	१/२"ø को मिडियम	गोटा	824	824	824
65.02	३/४"ø को मिडियम	गोटा	1145	1145	1145
65.03	१"ø को मिडियम	गोटा	1720	1720	1720
65.04	११/४"ø को मिडियम	गोटा	2630	2630	2630
65.05	११/२"ø को मिडियम	गोटा	3574	3574	3574
65.06	२"ø को मिडियम	गोटा	5413	5413	5413
66	एयर भल्ब				
66.01	१/२"ø को मिडियम	गोटा	4568	4568	4568
66.02	३/४"ø को मिडियम	गोटा	4746	4746	4746
66.03	१"ø को मिडियम	गोटा	7096	7096	7096
67	जि.आई. रिड्यूसर				
67.01	१/२ x ३/४" को	गोटा	72	72	72
67.02	३/४ x १" को	गोटा	92	92	92
67.03	१ x ११/४" को	गोटा	144	144	144
67.04	११/४ x ११/२"को	गोटा	175	175	175
67.05	११/२ x २"को	गोटा	309	309	309
67.06	२ x २१/२" को	गोटा	412	412	412
67.07	२१/२ x ३"को	गोटा	772	772	772
67.08	३ x ४" को	गोटा	1081	1081	1081
68	जि.आई. एल्बो				
68.01	१/२"ø को मिडियम	गोटा	46	46	46
68.02	३/४"ø को मिडियम	गोटा	73	73	73
68.03	१"ø को मिडियम	गोटा	116	116	116
68.04	११/४"ø को मिडियम	गोटा	175	175	175
68.05	११/२"ø को मिडियम	गोटा	249	249	249
68.06	२"ø को मिडियम	गोटा	379	379	379
69	जि.आई. इन्डक्याप				
69.01	१/२" को मिडियम	गोटा	46	46	46
69.02	३/४" को मिडियम	गोटा	72	72	72
69.03	१" को मिडियम	गोटा	92	92	92
69.04	११/४" को मिडियम	गोटा	180	180	180
69.05	११/२" को मिडियम	गोटा	200	200	200

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
69.06	२" को मिडियम	गोटा	257	257	257
70	फलामे मेनहोल कवर				
70.01	६० से.मी. ब्यासको (खानेपानीको लागि)	गोटा	2266	2266	2370
70.02	९० से.मी.ब्यासको (खानेपानीको लागि)	गोटा	2678	2678	2812
71	टुटी				
71.01	पित्तलको हेभी	गोटा	669	669	680
71.02	पित्तलको लाईट	गोटा	463	463	470
71.03	प्लास्टिकको	गोटा	154	154	155
72	**पोलिथिनको पानी टंकी**	**लिटर**	**13**	**13**	**13**
73	**स्टिलको पानी टंकी**	**लिटर**	**20**	**20**	**20**
74	हेण्डपम्प गाड्ने कार्य				
74.01	६० फीटसम्म गहिरो	फिट	4326	4326	4326
74.02	६० फीटभन्दा बढी गहिरो	फिट	66	66	66
75	हेण्डपम्प				
75.01	४ नं. को लाइट	गोटा	1802	1802	1802
75.02	४ नं. को हेभी	गोटा	2523	2523	2523
75.03	६ नं. को हेभी	गोटा	3296	3296	3296
75.04	६ नं. को लाईट	गोटा	3605	3605	3605
76	फ्लोट भल्भ				
76.01	१/२"ø को	गोटा	2868	2868	2868
76.02	३/४"ø को	गोटा	3326	3326	3326
76.03	१"ø को	गोटा	4362	4362	4362
76.04	११/४"ø को	गोटा	9270	9270	9270
76.05	११/२"ø को	गोटा	12710	12710	12710
77	जि.आई/एच.डि.पि फ्लेन्ज सेट				
77.01	१/२"ø को	गोटा	509	509	509
77.02	३/४"ø को	गोटा	566	566	566
77.03	१"ø को	गोटा	736	736	736
77.04	११/४"ø को	गोटा	906	906	906
77.05	११/२"ø को	गोटा	1189	1189	1189
77.06	२"ø को	गोटा	1545	1545	1545
77.07	२१/२"ø को	गोटा	1905	1905	1905
77.08	३"ø को	गोटा	2317	2317	2317
77.09	४"ø को	गोटा	2832	2832	2832
78	ब्रास युनियन				
78.01	१/२"ø को	गोटा	183	183	183
78.02	३/४"ø को	गोटा	382	382	382
78.03	१"ø को	गोटा	473	473	473

धनगढी उप-महानगरपालिका नगर कार्यपालिकाको कार्यालय धनगढी, कैलाली सुदूरपश्चिम प्रदेश, नेपाल

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
78.04	११/४"ø को	गोटा	669	669	669
78.05	११/२"ø को	गोटा	968	968	968
78.06	२"ø को	गोटा	1659	1659	1659
78.07	२१/२"ø को	गोटा	5139	5139	5139
78.08	३"ø को	गोटा	7696	7696	7696
78.09	४"ø को	गोटा	11731	11731	11731
78.10	५"ø को	गोटा	16428	16428	16428
79	**एच.डी.पि.ई. पाईप NS**	**के.जी.**	**272**	**272**	**272**
	औजार/उपकरण (खानेपानी तथा अन्य कार्य सम्बन्धि)				
80	गल (सव्वल)	गोटा	1133	1133	1133
81	फरुवा	गोटा	324	324	324
82	दाते, नग्रे	गोटा	587	587	587
83	धुर्मुस ५ केजी	गोटा	1030	1030	1030
84	हजारी	गोटा	854	854	854
85	बासको टोकरी	गोटा	185	185	185
86	**हसिया**				
86.1	क) सानो	गोटा	267	267	267
86.2	ख) ठुलो	गोटा	865	865	865
87	ठुलो कोवाल	गोटा	5253	5253	5253
88	हतौडा	के.जी.	236	236	236
89	हावा भर्ने पम्प (खुट्टाले)	गोटा	1081	1081	1081
90	हावा भर्ने पम्प (हातले)	गोटा	324	324	324
91	वन्चरो	गोटा	1854	1854	1854
92	सेफ्टी भेष्ट पहेलो रंगको (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	566	566	566
93	हेल्मेट (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	453	453	453
94	मास्क	गोटा	59	59	59
95	गम बुट	गोटा	824	824	824
96	कपडाको जुता	गोटा	721	721	721
97	रेनकोट	गोटा	2575	2575	2575
98	कडा पन्जा	गोटा	309	309	309
99	सन ग्लास	गोटा	618	618	618
100	पाँच ली. को प्लाष्टिक जेरीकेन	गोटा	123	123	123
101	वेल्चा	गोटा	669	669	669
102	गैटी	गोटा	721	721	721
103	कोदालो/फाउडो	गोटा	618	618	618
104	रोड डिभाइडरका लागि प्रयोग हुने सिन्थेटिक सेफ्टी कोन	गोटा	618	618	618
105	हसिया	गोटा	272	272	272
106	फोर्कड हेरो	गोटा	257	257	257
107	**व्हील बेरो**				

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
107.1	क) हलुका	गोटा	7725	7725	7725
107.2	ख) हेभी	गोटा	9785	9785	9785
108	छिनो १x६ इन्चको	गोटा	309	309	309
109	छिनो १x१२ इन्चको	गोटा	412	412	412
110	घन ५ किलोको	गोटा	999	999	999
111	घन १० किलोको	गोटा	1648	1648	1648
112	हिटिङ प्लेट १०० मि.मि.को	गोटा	721	721	721
113	हिटिङ प्लेट १५० मि.मि.को	गोटा	1442	1442	1442
114	टेफ्लोन कभर	मी.	2399	2399	2399
115	थर्मोक्रोम चक	गोटा	540	540	540
116	ब्लो टर्च	गोटा	594	594	594
117	बर्नर	गोटा	1081	1081	1081
118	पाईप रेन्च १४ ईन्ची	गोटा	690	690	690
119	पाईप रेन्च १८ ईन्ची	गोटा	849	849	849
120	पाईप रेन्च २४ ईन्ची	गोटा	1545	1545	1545
121	पाईप चेन रेन्च ४८ ईन्ची	ईन्ची	102	102	102
122	हेक्सा फेम	गोटा	135	135	135
123	हेक्सा ब्लेड	गोटा	21	21	21
124	एडजस्टेवल रेन्च	गोटा	648	648	648
125	फलामे तसला	गोटा	216	216	216
126	कर्नी	गोटा	128	128	128
127	रेती	गोटा	381	381	381
128	वायर ब्रश	गोटा	77	77	77
129	डाई सेट ½" देखि १ " साधारण	गोटा	2575	2575	2575
130	डाई सेट ½" देखि १" Richard or Equivalent	गोटा	3836	3836	3836
131	डाई सेट १.२५" देखि २" साधारण	गोटा	4326	4326	4326
132	डाई सेट १.२५" देखि २" Richard or Equivalent	गोटा	8153	8153	8153
133	डाई सेट टीथ ½" देखि १" साधारण Richard or Equivalent	गोटा	2601	2601	2601
134	डाई सेट टीथ १.२५" देखि २" Richard or Equivalent	गोटा	3582	3582	3582
135	डाई टीथ आयल भाँडो समेत	लीटर	540	540	540
136	टेवुल भाईस, २"	गोटा	2266	2266	2266
137	टेवुल भाईस, ३"	गोटा	2758	2758	2758
138	मेजरिङ टेप ५ मिटर	गोटा	216	216	216
139	मेजरिङ टेप ३० मिटर	गोटा	772	772	772
140	काठे हाते आरी / करौति	गोटा	515	515	515
141	टुल वक्स १४x ८x१२इन्च साइजको	गोटा	2575	2575	2575
	सेनेटरी (सरसफाई) तर्फ				
142	**युरिनल सेट**				

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
142.01	१०.५"x१४.५"x१२.५" को (राम्रो)	गोटा	1732	1732	1732
142.02	" " (साधारण)	गोटा	1155	1155	1155
142.03	६८x३० से.मि. लेडिज युरिनल (राम्रो)	सेट	2205	2205	2205
142.04	" " (साधारण)	सेट	1260	1260	1260
143	सिपी बेण्ड सहितको सावर	गोटा	1443	1443	1443
144	तौलिया रड				
144.01	१८"x०.५" (राम्रो)	गोटा	1102	1102	1102
144.02	१८"x०.५" (साधारण)	गोटा	656	656	656
145	सी.पी. सोप डिस	गोटा	551	551	551
146	१२"x१८" को बाथरुम ऐना	गोटा	1102	1102	1102
147	वास वेसिन सेट				
147.01	२०"x१६" को (राम्रो)	सेट	2625	2625	2625
147.02	१६"x२२" को वास वेसिन सेट (राम्रो)	सेट	3675	3675	3675
148	लो लेभल सिस्टर्न				
148.01	(राम्रो) सेरामिक	सेट	6825	6825	6825
148.02	लो लेभल सिस्टर्न (प्लास्टीक)	सेट	2310	2310	2310
149	एच.डी.पी. कोवल २"ø को	सेट	68	68	68
150	ट्याइलेट सिट (वाटर क्लोसेट)				
150.01	१८" भारती पायदान सहित (ISI)	सेट	2520	2520	2520
150.02	१८" भारती लोकल पायदान सहित	सेट	1365	1365	1365
150.03	उडिसा हिन्दुस्तान टाइप प्यान २१" (ISI)	सेट	2310	2310	2310
150.04	उडिसा हिन्दुस्तान टाइप प्यान २१" (local)	सेट	1155	1155	1155
150.05	कमोड पि वा एस ट्याप (ISI)	सेट	3465	3465	3465
150.06	कमोड पि वा एस ट्याप (local)	सेट	1732	1732	1732
150.07	यान प्यान सेट	सेट	1837	1837	1837
150.08	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	सेट	18000	18000	18000
150.09	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	सेट	20300	20300	20300
150.10	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	28800	28800	28800
151	११/४" सि.पि.पाईप कपलिं समेत	गोटा	971	971	971
152	११/४" सि.पि.पाईप पि.वा एस ट्याप	गोटा	1155	1155	1155
153	१/२"फेन्सी पिल्ट कक	गोटा	1050	1050	1050
154	१/२"ø ३० " पाईप कनेक्टर	गोटा	231	231	231
155	सिङ्क				
155.01	१८ X २२ X ८ ईन्ची स्टील	गोटा	3234	3234	3234
155.02	१८ X ३८ X ८ ईन्ची स्टील	गोटा	4620	4620	4620
155.03	१८ X २२ X ८ सि, फलामे	गोटा	2310	2310	2310

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
156	१½" वासर कपलिङ्ग	गोटा	551	551	551
157	१½"पित्तलको बिब कक	गोटा	350	350	350
158	½" सि.पि बिब कक	गोटा	1000	1000	1000
159	½"सि.पि स्टप कक	गोटा	950	950	950
160	½"कनेक्टर स्टप कक	गोटा	750	750	750
161	पि.भि.सि. पाइप तथा फिटिंङ्ग				
161.01	११० मी.मी. ४ के.जी. प्रेशर	पीस	2940	2940	2940
161.02	७५ मी.मी. ४ के.जी. प्रेशर	पीस	1522	1522	1522
161.03	४"ø को सकेट	पीस	315	315	315
161.04	४"ø को हर्न बेण्ड	पीस	735	735	735
161.05	४"ø को बेण्ड	पीस	420	420	420
161.06	४"ø को टी	पीस	577	577	577
161.07	३"ø को सकेट	पीस	210	210	210
161.08	३"ø को बेण्ड	पीस	315	315	315
161.09	३"ø को टी	पीस	367	367	367
162	एच.डी.पि.इ. फिटिङ्ग				
162.01	४"ø को सकेट	पीस	210	210	210
162.02	४"ø को हर्न बेण्ड	पीस	420	420	420
162.03	४"ø को बेण्ड	पीस	367	367	367
	रंगरोगनका सामग्री				
163	खाक्सी	गोटा	26	26	26
164	गुद	के.जी.	220	220	220
165	सरेस	के.जी.	210	210	210
166	आक्रयालिक डिस्टेरम्पर	के.जी.	199	199	199
167	वासेवल डिस्टेम्पर	के.जी.	264	264	264
168	सिमेण्ट प्राइमर	लिटर	413	413	413
169	तयारी इनामेल पेन्ट	लिटर	630	630	630
170	इनामेल प्राइमर (काठ)	लिटर	415	415	415
171	इनामेल प्राइमर (फलाम)	लिटर	369	369	369
172	प्लाष्टिक इमोल्शन पेन्ट (एक्स्ट्रेरियर) राम्रो	लिटर	1102	1102	1102
173	प्लाष्टिक इमोल्शन पेन्ट (एक्स्ट्रेरियर) मध्यम	लिटर	892	892	892
174	प्लाष्टिक इमोल्शन पेन्ट (इन्टिरियर) राम्रो	लिटर	1050	1050	1050
175	प्लाष्टिक इमोल्शन पेन्ट (इन्टिरियर) मध्यम	लिटर	819	819	819
176	तयारी अल्मुनिम पेन्ट	लिटर	630	630	630
177	वार्निस क्लियर	लिटर	399	399	399
178	अलकत्रा पेन्ट (Black Japan)	लिटर	315	315	315
179	तारपिन तेल	लिटर	193	193	193
180	चुना	के.जी.	23	23	23
181	गेरु रंग	के.जी.	57	57	57
182	लिन्सीड आयल	लिटर	210	210	210

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
183	चप्रा	के.जी.	735	735	735
184	स्प्रीट	लिटर	168	168	168
185	स्नोसेम (सिमेन्ट पेन्ट)	के.जी.	80	80	80
186	वेदर कोट पेन्ट (राम्रो) NS/ IS	लिटर	1260	1260	1260
187	वेदर कोट पेन्ट (हल्का) NS/IS	लिटर	892	892	892
188	वेदर कोट प्राइमर	लिटर	392	392	392
189	वाटर प्रुफिग कम्पाउण्ड (जापनिज)	के.जी.	330	330	330
190	Wall Putty- Plain	के.जी.	३८	40	40
191	Wall Putty- Water Proof	के.जी.	६०	60	60
	कंक्रिट प्रोडक्टस्				
192	**ह्युम पाईप (ढुवानी बाहेक)**				
192.01	३०० ø को एनपी-३ को (२.५मीटर)	गोटा	10815	10815	10815
192.02	४५० ø को एनपी-३ को (२.५मीटर)	गोटा	13545	13545	13545
192.03	४५० ø को एनपी-३ को कोलार	गोटा	1354	1354	1354
192.04	६०० ø को एनपी-३ को (२.५मीटर)	गोटा	18480	18480	18480
192.05	६०० ø को एनपी-३ को कोलार	गोटा	1848	1848	1848
192.06	९०० ø को एनपी-३ को (२.५मीटर)	गोटा	30345	30345	30345
192.07	९०० ø को एनपी-३ को कोलार	गोटा	3034	3034	3034
192.08	१२०० ø को एनपी-३ को (२.५मीटर)	गोटा	41895	41895	41895
192.09	१२०० ø को एनपी-३ को कोलार	गोटा	4189	4189	4189
192.10	१०० ø को एनपी-२ को (२.५मीटर)	गोटा	2310	2310	2310
192.11	१०० ø को एनपी-२ को कोलार	गोटा	231	231	231
192.12	१५० ø को एनपी-२ को (२.५मीटर)	गोटा	2598	2598	2598
192.13	१५० ø को एनपी-२ को कोलार	गोटा	259	259	259
192.14	२०० ø को एनपी-२ को (२.५मीटर)	गोटा	3475	3475	3475
192.15	२०० ø को एनपी-२ को कोलार	गोटा	347	347	347
192.16	२२५ ø को एनपी-२ को (२.५मीटर)	गोटा	4163	4163	4163
192.17	२२५ ø को एनपी-२ को कोलार	गोटा	416	416	416
192.18	२५० ø को एनपी-२ को (२.५मीटर)	गोटा	4635	4635	4635
192.19	२५० ø को एनपी-२ को कोलार	गोटा	463	463	463
192.20	३०० ø को एनपी-२ को (२.५मीटर)	गोटा	6583	6583	6583
192.21	३०० ø को एनपी-२ को कोलार	गोटा	658	658	658
192.22	३५० ø को एनपी-२ को (२.५मीटर)	गोटा	6709	6709	6709
192.23	३५० ø को एनपी-२ को कोलार	गोटा	670	670	670
192.24	३७५ ø को एनपी-२ को (२.५मीटर)	गोटा	6814	6814	6814
192.25	३७५ ø को एनपी-२ को कोलार	गोटा	681	681	681
192.26	४०० ø को एनपी-२ को (२.५मीटर)	गोटा	6951	6951	6951
192.27	४०० ø को एनपी-२ को कोलार	गोटा	695	695	695
192.28	४५० ø को एनपी-२ को (२.५मीटर)	गोटा	8526	8526	8526
192.29	४५० ø को एनपी-२ को कोलार	गोटा	852	852	852
192.30	५०० ø को एनपी-२ को (२.५मीटर)	गोटा	9733	9733	9733

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
192.31	५०० ø को एनपी–२ को कोलार	गोटा	973	973	973
192.32	६०० ø को एनपी–२ को (२.५मीटर)	गोटा	11954	11954	11954
192.33	६०० ø को एनपी–२ को कोलार	गोटा	1195	1195	1195
192.34	७०० ø को एनपी–२ को (२.५मीटर)	गोटा	12957	12957	12957
192.35	७०० ø को एनपी–२ को कोलार	गोटा	1295	1295	1295
192.36	७५० ø को एनपी–२ को (२.५मीटर)	गोटा	13881	13881	13881
192.37	७५० ø को एनपी–२ को कोलार	गोटा	1388	1388	1388
192.38	८०० ø को एनपी–२ को (२.५मीटर)	गोटा	16201	16201	16201
192.39	८०० ø को एनपी–२ को कोलार	गोटा	1620	1620	1620
192.40	९०० ø को एनपी–२ को (२.५मीटर)	गोटा	17498	17498	17498
192.41	९०० ø को एनपी–२ को कोलार	गोटा	1749	1749	1749
192.42	१००० ø को एनपी–२ को (२.५मीटर)	गोटा	21924	21924	21924
192.43	१००० ø को एनपी–२ को कोलार	गोटा	2192	2192	2192
192.44	१२०० ø को एनपी–२ को (२.५मीटर)	गोटा	28948	28948	28948
192.45	१२०० ø को एनपी–२ को कोलार	गोटा	2894	2894	2894
192.46	१५०० ø को एनपी–२ को (२.५मीटर)	गोटा	39354	39354	39354
192.47	१५०० ø को एनपी–२ को कोलार	गोटा	3935	3935	3935
192.48	50 mm thick Cement Concrete Block - Interlocking	ब.फि.	90	90	90
192.49	50 mm thick Cement Concrete Block (color)-Interlocking	ब.फि.	95	95	95
192.50	60 mm thick Cement Concrete Block - Interlocking	ब.फि.	105	105	105
192.51	60 mm thick Cement Concrete Block (color)-Interlocking	ब.फि.	110	110	110
192.52	AAC Block- 625x250x225mm	गोटा	290	290	290
192.53	AAC Block- 625x250x150mm	गोटा	140	140	140
192.54	AAC Block- 625x250x100mm	गोटा	220	220	220
193	**Interlock Paver, Kerb Stone, Concrete Tile**				
193.01	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा			38
193.02	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा			44
193.03	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा			47
193.04	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा			44

क्र.सं.	विवरण	इकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
193.05	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा			50
193.06	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा			52
193.07	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	गोटा			388
193.08	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा			418
193.09	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा			438
193.10	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40mm	गोटा			220
193.11	Matrix Slab / Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40mm	गोटा			242
193.12	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40mm	गोटा			269
194	सडक सम्बन्धि Pre-stressing Accessories				
194.01	Supply Installation and prestressing of Ht Strands 12.7 mm- 7 ply as per drawing and specification (DP Wires)	के.जी.	172	172	172
194.02	19JK13, Anchor set 1-Tube unit, 1 Bearing plate, 19 live wedge	सेट	72000	72000	72000
194.03	Supply , Profiling of Corrugated HDPE Sheathings Pipe ID=85mm	मि.	380	380	380
194.04	Strip Seal Expansion Joints	मि.	16000	16000	16000
194.05	Slab Seal Expansion Joints	मि.	28000	28000	28000
194.06	Pot bearings for 40 mtr span 2 girder bridge (347 tons capacity)	सेट	150000	150000	150000
194.07	Pot bearings for 35 mtr span 2 girder bridge (296 tons capacity)	सेट	130000	130000	130000
194.08	Pot bearings for 30 mtr span 2 girder bridge (246 tons capacity)	सेट	115000	115000	115000
194.09	Neoprene bearings for 25 mtr span bridge (2 girder)	गोटा	40000	40000	40000
194.10	Neoprene bearings for 20 mtr span bridge (2 girder)	गोटा	30000	30000	30000
194.11	Neoprene bearings for 15 mtr span bridge (2 girder)	गोटा	28000	28000	28000
194.12	Drainage spout 100mm dia GI Pipe	गोटा	4000	4000	4000

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
195	HDPE DOUBLE WALLED Corrugated Pipes-SN8				
195.01	ID=100mm	मि.			450
195.02	ID=150mm	मि.			950
195.03	ID=200mm	मि.			1450
195.04	ID=250mm	मि.			1900
195.05	ID=300mm	मि.			3100
195.06	ID=4000mm	मि.			4000
195.07	ID=500mm	मि.			4900
195.08	ID=600mm	मि.			8300
195.09	ID=800mm	मि.			12300
195.10	ID=1000mm	मि.			17200
196	कंक्रिट बिद्युत पोल (ढुवानी बाहेक)				
196.01	८ मिटर लामो	गोटा	6100	6100	6100
196.02	९ मिटर लामो	गोटा	7000	7000	7000
196.03	१० मिटर लामो	गोटा	13200	13200	13200
196.04	११ मिटर लामो	गोटा	15200	15200	15200
197	स्टील ट्युबलर पोल (ढुवानी बाहेक)				
197.01	८ मिटर लामो (१२० के.जी.)	गोटा	11500	11500	11500
197.02	९ मिटर लामो (१४७ के.जी.)	गोटा	16300	16300	16300
197.03	११ मिटर लामो (१७५ के.जी.)	गोटा	20000	20000	20000
198	एस सी एस आर कण्डक्टर				
198.01	ACSR Dog Conductor	कि.मी.	95300	95300	95300
198.02	ACSR Rabbit Conductor	कि.मी.	49000	49000	49000
198.03	ACSR Weasel Conductor	कि.मी.	29400	29400	29400
199	Insulator				
199.01	11 kV Pin Insulator with Spindle	सेट	220	220	220
199.02	11 kV Disc Insulator with tension Clamp	सेट	900	900	900
199.03	D-Iron with Sackle	सेट	200	200	200
200	साधारण कंक्रिट पोल (तार बार र यस्तै कामका लागि)				
200.01	६ फिट लामो ३x४ ईन्चीको	गोटा	630	630	630
200.02	७ फिट लामो ३x४ ईन्चीको	गोटा	861	861	861
200.03	६ फिट लामो ४x४ ईन्चीको	गोटा	850	850	850
200.04	७ फिट लामो ४x४ ईन्चीको	गोटा	997	997	997
200.05	८ फिट लामो ४x४ ईन्चीको	गोटा	1312	1312	1312
200.06	१.५ मि. लामो ६x६ ईन्चीको	गोटा	2310	2310	2310
200.07	१ मि. लामो ६x६ ईन्चीको	गोटा	1575	1575	1575
201	कंक्रीट रिङ (३' ब्यास, १' उचाइ र २" मोटो)	गोटा	829	829	829
202	कंक्रीट रिङ कवर (३' ब्यास र २" मोटाइ)	गोटा	829	829	829
203	कंक्रीट आर.सी.सी. रेलिङ पोष्ट १ फुट	गोटा	78	78	78
204	कंक्रीट आर.सी.सी. रेलिङ पोष्ट २ फुट	गोटा	115	115	115

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
205	कंकीट आर.सी.सी. रेलिङ पोष्ट ३ फुट	गोटा	157	157	157
	मेशीनरी				
206	पम्पसेट तथा र्‍यामर				
206.01	१/२ हर्ष पावरको चाईनिज	गोटा	4410	4410	4410
206.02	१ ,, ,,	गोटा	7875	7875	7875
206.03	२ ,, ,,	गोटा	18900	18900	18900
206.04	३ ,, ,,	गोटा	31500	31500	31500
206.05	१/२ हर्ष पावरको भारती (ISI)	गोटा	9450	9450	9450
206.06	१ ,, ,, (ISI)	गोटा	16800	16800	16800
206.07	२ ,, ,, (ISI)	गोटा	26250	26250	26250
206.08	३ ,, ,, (ISI)	गोटा	42000	42000	42000
207	इण्डियन सबमरसिवल पम्प (स्टेन्डर्ड कम्पनि)				
207.01	२ हर्ष पावर	गोटा	49612	49612	49612
207.02	३ हर्ष पावर	गोटा	60637	60637	60637
207.03	५ हर्ष पावर	गोटा	68355	68355	68355
207.04	७.५ हर्ष पावर	गोटा	126787	126787	126787
207.05	१० हर्ष पावर	गोटा	176400	176400	176400
208	डिजेल पम्पसेट				
208.01	५ हर्ष पावरको (ISI)	गोटा	52500	52500	52500
208.02	८ हर्ष पावरको (ISI)	गोटा	84000	84000	84000
209	वाटर मीटर	गोटा	1732	1732	1732
209	वायरिङ तथा वायरिङका सामान				
210	स्तरीय सामान र पि.भि.सी.पाइप प्रयोग गरी सर्फेसवायरिङ्ग गर्ने काम राम्रो मेटल बर्क्स, स्वीच, सिलिङ रोज आदि वायरिङ सामान समेत प्रयोग गरी वायरिङ्ग को काम				
210.01	क. ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	937	937	965
210.02	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	1333	1333	1370
210.03	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	1069	1069	1100
211	स्तरिय सामान र पि.भी.सी. पाइप प्रयोग गरी कन्सील्ड वायरिङ्ग गर्ने काम । (स्वीच, स्वीच बोर्ड, सिलिङ्ग रोज, बक्स आदि आवश्यक सम्पूर्ण सामान समेत)				
211.01	क ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	1113	1113	1140
211.02	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	1201	1201	1230
211.03	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	934	934	950

क्र.सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
212	पंखा				
	सिलिङ. पंखा उषा,ओरिएन्ट,क्रम्पटन ग्रिभ्स वा सो सरह				
212.01	३६ इन्च	गोटा	3255	3255	3255
212.02	४२ इन्च	गोटा	3465	3465	3465
212.03	४८ इन्च	गोटा	3675	3675	3675
212.04	ISI वा NS गुणस्तरको एग्भैस्ट फेन १२ इन्चि	गोटा	3675	3675	3675
212.05	चाईनिज स्टेण्ड फैन	गोटा	3465	3465	3465
212.06	इण्डीयन स्टेण्ड फैन	गोटा	3990	3990	3990
212.07	स्टेण्ड पंखा (भारतीय स्पेशल)	गोटा	4725	4725	4725
212.08	वाल फेन चाईनिज	गोटा	3150	3150	3150
213	डोम लाइट				
213.01	८ इन्च	गोटा	519	519	519
213.02	६ इन्च	गोटा	404	404	404
214	वेदरप्रुफ लाइट	गोटा	210	210	210
215	मेन स्वीच				
215.01	६० एम्पियर	गोटा	4935	4935	4935
215.02	३० ,,	गोटा	1963	1963	1963
215.03	१५ ,,	गोटा	1470	1470	1470
216	१० एस.डब्लु.जि.प्लाष्टिक कोटेड कपर वायर अर्थिङ्गको लागि	मीटर	138	138	138
217	सर्भिस तार	मीटर	26	26	26
218	मिटर बक्स				
218.01	प्लाष्टिक	गोटा	210	210	210
218.02	काठको	गोटा	315	315	315
219	काठको लिस्टी				
219.01	१/२" को	र.मी.	26	26	26
219.02	३/४" को	र.मी.	33	33	33
219.03	१" को	र.मी.	36	36	36
220	एम सि बि				
220.01	६ एम्पियर एस.पी.	गोटा	267	267	267
220.02	१५ एम्पियर एस.पी.	गोटा	393	393	393
220.03	१५ एम्पियर डी.पी.	गोटा	693	693	693
220.04	३० एम्पियर एस.पी.	गोटा	462	462	462
220.05	३० एम्पियर डी.पी.	गोटा	1260	1260	1260
221	Solar system with 20 watt solar panel, one 23 Ah battery and 3 nos of 4 watt LED bulbs	सेट	10500	10500	10500
	अन्य सामानहरु				
222	खर १५से.मी व्यासको मुठा	मुठा	44	44	44
223	नरियलको डोरी	के.जी.	136	136	136
224	लाइन स्त्रिङ	र.मी.	8	8	8

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
225	जिओ-व्याग(१.०५मि.x०.७ मि., ३५० ग्राम)	गोटा	383	383	383
226	नाइलन क्रेट ४.५ केजी (३X१.०५X१.०५) मि.	गोटा	2205	2205	2205
227	चटाई ३X६ फिटको	गोटा	144	144	144
228	भुसा	के.जी.	4	4	4
229	गोवर	के.जी.	5	5	5
230	खाली वोरा				
230.01	सिमेन्टको खाली बोरा (पुरानो)	गोटा	12	12	12
230.02	सिमेन्टको खाली वोरा (नयाँ)	गोटा	24	24	24
230.03	जूटको खाली बोरा	गोटा	110	110	110
231	हेशन जूट	व.मी.	210	210	210
232	नाइलन डोरी	के.जी.	232	232	232
233	मोबिल (लुब्रिकेन्ट)	लीटर	682	682	682
234	गियर आयल	लीटर	682	682	682
235	ग्रिज	के.जी	682	682	682
236	माछाका भुरा				
236.01	सानो	गोटा	0.52	0.52	0.52
236.02	माछाका भुरा ठूलो	गोटा	1.41	1.41	1.41
237	ढुटो	के.जी.	20	20	20
238	पिना	के.जी.	21	21	21
239	दाउरा	के.जी.	16	16	16
240	चिरपट	के.जी.	16	16	16
241	फलामे बाल्टी	गोटा	537	537	537
242	बांसको डोको	गोटा	231	231	231
243	पोलिथिन शीट ५०० गेज	के.जी.	220	220	220
244	टारफेल्ट शीट १x२० मिमी.	के.जी.	141	141	141
245	कंक्रीट एडमिक्चर (सेफक्रीट, सेफबर्न, सेफमाइट आदि)	लीटर	315	315	315
246	सिलिका एडमिक्चर	के.जी.	367	367	367
247	स्टोभ	गोटा	1050	1050	1050
	बायोइन्जिनियरिङ्का सामान तथा पशुचौपाया सम्वन्धि				
248	बिरुवाहरु				
248.01	अम्लिसो	राईजोम	5.51	5.51	5.51
248.02	नेपियर CO4 जरासहित	सेट	3.3	3.3	3.3
248.03	कास	स्लिप	1.1	1.1	1.1
249	बास विरुवा विउवाट उत्पादन				
249.01	१ वर्षे विरुवा	गोटा	55.12	55.12	55.12
249.02	२ वर्षे विरुवा	गोटा	82.68	82.68	82.68
249.03	३ वर्षे विरुवा	गोटा	165.37	165.37	165.37
250	बास राईजोम	राईजोम	496.12	496.12	496.12

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
251	**बास विरुवा कटिङ**				
251.01	१ वर्षे विरुवा	गोटा	275.62	275.62	275.62
251.02	२ वर्षे विरुवा	गोटा	330.75	330.75	330.75
251.03	३ वर्षे विरुवा	गोटा	385.87	385.87	385.87
251.04	निगालो	गोटा	16.53	16.53	16.53
251.05	डालेघास	गोटा	17.64	17.64	17.64
252	**हिउँदे तथा बर्षे घाँसको विउ**				
252.01	जै	कि.ग्रा.	88.20	88.20	88.20
252.02	बर्षिम	कि.ग्रा.	330.75	330.75	330.75
252.03	भेच	कि.ग्रा.	132.3	132.30	132.30
252.04	टियोसेन्टी	कि.ग्रा.	110.25	110.25	110.25
252.05	बाजरा	कि.ग्रा.	104.73	104.73	104.73
252.06	सुडान	कि.ग्रा.	110.25	110.25	110.25
253	**बहुवर्षे तथा डालेघाँसको विरुवा**				
253.01	नेपियर CO4 जरासहित	स्लीप	3.3	3.3	3.3
253.02	नेपियर CO4	स्लीप	2.2	2.2	2.2
253.03	नेपियर (अन्य) जरासहित	स्लीप	2.2	2.2	2.2
253.04	नेपियर (अन्य)	स्लीप	1.68	1.68	1.68
253.05	मुलाटो, पास्पालम, सेटेरिया, बदामे	गोटा	2.2	2.2	2.2
253.06	डाले घाँसको बेर्ना (बडहर)	गोटा	17.64	17.64	17.64
253.07	डाले घाँसको बेर्ना (अन्य जात)	गोटा	16.53	16.53	16.53
254	**प्रजननकालागि पालिने बोका बाखा**				
254.01	वाखा खरी जातको	कि.ग्रा.	385	385	385
254.02	वोका खरी जातको	कि.ग्रा.	551	551	551
254.03	वोका जमुना पारी, बारबेरी	कि.ग्रा.	551	551	551
254.04	बोका वोयर जातको	कि.ग्रा.	882	882	882
255	**उन्नत जातको बगुंरको पाठापाठी**				
255.01	पाठी (न्यूनतम ४५ दिन)	गोटा	5512	5512	5512
255.02	पाठा (न्यूनतम ४५ दिन)	गोटा	6063	6063	6063
255.03	बगुंरको बीर (९० दिन)	गोटा	7717	7717	7717
256	**प्रजननकालागि पालिने रांगो तथा साढे**				
256.01	प्रजनन योग्य रांगो मुर्रा जातको	गोटा	110250	110250	110250
256.02	प्रजनन योग्य साँढे होलिष्टिन जातको	गोटा	110250	110250	110250
256.03	प्रजनन योग्य साँढे जर्सी जातको	गोटा	88200	88200	88200
257	**Steel Door and Window**				
257.01	900*2100 Steel Door set with frame 50 T Thickness	सेट			21000
257.02	1000*2100 Steel Door set with frame 50 T Thickness	सेट			22000
257.03	900*2100 ABS Door set with frame 50 T Thickness	सेट			18000
257.04	900*2100 Panel Door set with frame 50 T Thickness	सेट			14000

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
257.05	115mm Window set with frame 50 T Thickness	सेट			875
258	**Flush Door**				
258.01	Glossy	व.फु.			275
258.02	Maat	व.फु.			260
259	**Non Asbestos Sheet**				
259.01	1050mm overall width,6mm thickness-Normal	र.मी.			575
259.02	1050mm overall width,6mm thickness-Coloured	र.मी.			675
260	**Interior and Finishing Materials**				
A	**Roofing Material**				
1.00	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm			4000
2.00	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm			3000
3.00	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm			1400
4.00	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm			1300
B	**Flooring Material**				
1.00	Stone Plastic Composit Flooring (SPC) of 4 mm thick with base material and skirting	Sqm			2700
C	**Material for Wall**				
1.00	Mural Wall: 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	Sqm			15000
2.00	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	Pcs			2800

Scanned with CamScanner

क.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
	150X300 Tile	Pcs			3500
	300X300 Tile	Pcs			4000
D	**Ceiling Work**				
1.00	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum),wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sqm			25000
E	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sqm			45000
F	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK (CASEMENT- NC 65 HDS): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sqm			100000
260	**Concrete Admixture, Water Proofing Sytstem Integral**				
260.01	Protective, Decorative carbonating coating- Fosroc Nitogurd	Kg			1300
260.02	Protective polyerethane sealer Fosroc Promeseal	Ltr			800
260.03	High Performance water repellant Paint	Ltr			1100
260.04	Concrete curing aid- Fosroc Concure WB	Kg			450
260.05	Integral waterproofing additive for concrete and plaster- Fosroc Conplast WL Extra	Kg			320
260.06	CZU Chanel , CZU(2mm Thickness/320, 360, 410 galvanized	Kg			205
260.07	CZU Chanel , CZU(1.8 mm Thickness/210 galvanized	Kg			210

धनगढी उपमहानगरपालिका नगर कार्यपालिकाको कार्यालय धनगढी, कैलाली सुदूरपश्चिम प्रदेश, नेपाल

क्र.सं.	विवरण	ईकाई	आ. ब. ७६/७७ को दररेट	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
260.08	**Gutter**				
260.09	0.5mm Thickness (Size 12 Inch)	Rft			95
260.10	0.5mm Thickness (Size 18 Inch)	Rft			165
261.00	**PolyCarbonate Corregated Sheet**				
260.01	1 mm Thickness	Sqft			100
260.02	1.25 mm Thickness	Sqft			120
260.03	1.5 mm Thickness	Sqft			145
260.04	1.75 mm Thickness	Sqft			165
260.05	2 mm Thickness	Sqft			190
260.06	2.5 mm Thickness	Sqft			230
262.00	**PolyCarbonate Plain Sheet**				
262.01	1 mm Thickness	Sqft			85
262.02	1.5 mm Thickness	Sqft			130
262.03	2 mm Thickness	Sqft			175
262.04	2.5 mm Thickness	Sqft			215
262.05	3 mm Thickness	Sqft			260
262.06	4 mm Thickness	Sqft			350
262.07	5 mm Thickness	Sqft			435
262.08	6 mm Thickness	Sqft			525
262.09	8 mm Thickness	Sqft			700
262.10	10 mm thichness	Sqft			880
262.11	12 mm thichness	Sqft			1055

क. सं.	विवरण	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
257.01	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Minimum Size 30 sq feet*	Top – 101.6x38.1x1.2 Bottom – 101.6x41.5x1.2 Side – 101.6x44.5x1.2	sqm	8280	8280
257.02	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size 20 - 30 sq feet*	Top – 101.6x38.1x1.2 Bottom – 101.6x41.5x1.2 Side – 101.6x44.5x1.2	sqm	8550	8550
257.03	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size less then 10 - 20 sq. feet*	Top – 101.6x38.1x1.2 Bottom – 101.6x41.5x1.2 Side – 101.6x44.5x1.2	sqm	9180	9180
257.04	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size less then 10 sq. feet*	Top – 101.6x38.1x1.2 Bottom – 101.6x41.5x1.2 Side – 101.6x44.5x1.2	sqm	9900	9900
257.05	WINDOWS – *3 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size more then 30 sq. feet*	Top – 101.6x38.1x1.2 Bottom – 101.6x41.5x1.2 Side – 101.6x44.5x1.2	sqm	8550	8550
257.06	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Minimum Size 30 sq feet*	Top – 101.6x38.1x1.0 Bottom – 101.6x41.5x1.0 Side – 101.6x44.5x1.0	sqm	7020	7020

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
257.07	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size 20 - 30 sq feet*	Top – 101.6x38.1x1.0 Bottom – 101.6x41.5x**1.0** Side – 101.6x44.5x**1.0**	sqm	7650	7650
257.08	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size less then 10 - 20 sq. feet*	Top – 101.6x38.1x1.0 Bottom – 101.6x41.5x**1.0** Side – 101.6x44.5x**1.0**	sqm	8550	8550
257.09	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size less then 10 sq. feet*	Top – 101.6x38.1x1.0 Bottom – 101.6x41.5x**1.0** Side – 101.6x44.5x**1.0**	sqm	8910	8910
257.1	WINDOWS – *3 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size more then 30 sq. feet*	Top – 101.6x38.1x1.0 Bottom – 101.6x41.5x**1.0** Side – 101.6x44.5x**1.0**	sqm	7380	7380
257.11	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Minimium Size 30 sq feet*	Top – 87x40x1.2 Bottom – 87.4x56x**1.2** Side – 90.4x32x**1.2**	sqm	7920	7920
257.12	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size 20 - 30 sq feet*	Top – 87x40x1.2 Bottom – 87.4x56x**1.2** Side – 90.4x32x**1.2**	sqm	8280	8280

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
257.13	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size less then 10 - 20 sq. feet*	Top – 87x40x1.2 Bottom – 87.4x56x**1.2** Side – 90.4x32x**1.2**	sqm	8550	8550
257.14	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size less then 10 sq. feet*	Top – 87x40x1.2 Bottom – 87.4x56x**1.2** Side – 90.4x32x**1.2**	sqm	9180	9180
257.15	WINDOWS – *3 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size more then 30 sq. feet*	Top – 87x40x1.2 Bottom – 87.4x56x**1.2** Side – 90.4x32x**1.2**	sqm	8100	8100
257.16	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Minimium Size 30 sq feet*	Top – 87x40x1.0 Bottom – 87.4x56x**1.0** Side – 90.4x32x**1.0**	sqm	7890	7890
257.17	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size 20 - 30 sq feet*	Top – 87x40x1.0 Bottom – 87.4x56x**1.0** Side – 90.4x32x**1.0**	sqm	7380	7380
257.18	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size less then 10 - 20 sq. feet*	Top – 87x40x1.0 Bottom – 87.4x56x**1.0** Side – 90.4x32x**1.0**	sqm	7650	7650

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
257.19	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size less then 10 sq. feet*	Top – 87x40x1.0 Bottom – 87.4x56x**1.0** Side – 90.4x32x**1.0**	sqm	7650	7650
257.20	WINDOWS – *3 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size more then 30 sq. feet*	Top – 87x40x1.0 Bottom – 87.4x56x**1.0** Side – 90.4x32x**1.0**	sqm	7200	7200
257.21	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Minimium Size 30 sq feet*	Top –78 x 35 x 1.2 Bottom – 78 x 53 x **1.2** Side – 81 x 38 x **1.2**	sqm	7020	7020
257.22	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size 20 - 30 sq feet*	Top –78 x 35 x 1.2 Bottom – 78 x 53 x **1.2** Side – 81 x 38 x **1.2**	sqm	7380	7380
257.23	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size less then 10 - 20 sq. feet*	Top –78 x 35 x 1.2 Bottom – 78 x 53 x **1.2** Side – 81 x 38 x **1.2**	sqm	7920	7920
257.24	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size less then 10 sq. feet*	Top –78 x 35 x 1.2 Bottom – 78 x 53 x **1.2** Side – 81 x 38 x **1.2**	sqm	8100	8100

धनगढी उप-महानगरपालिका नगर कार्यपालिकाको कार्यालय धनगढी कैलाली सुदूरपश्चिम प्रदेश, नेपाल

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
257.25	WINDOWS – *3 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size more then 30 sq. feet*	Top –78 x 35 x 1.2 Bottom – 78 x 53 x 1.2 Side – 81 x 38 x 1.2	sqm	7380	7380
257.26	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Minimium Size 30 sq feet*	Top –78 x 35 x 1.0 Bottom – 78 x 53 x 1.0 Side – 81 x 38 x 1.0	sqm	6750	6750
257.27	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size 20 - 30 sq feet*	Top –78 x 35 x 1.0 Bottom – 78 x 53 x 1.0 Side – 81 x 38 x 1.0	sqm	7020	7020
257.28	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size less then 10 - 20 sq. feet*	Top –78 x 35 x 1.0 Bottom – 78 x 53 x 1.0 Side – 81 x 38 x 1.0	sqm	7380	7380
257.29	WINDOWS – *2 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size less then 10 sq. feet*	Top –78 x 35 x 1.0 Bottom – 78 x 53 x 1.0 Side – 81 x 38 x 1.0	sqm	7920	7920
257.30	WINDOWS – *3 Pannel Sliding*, **Natural Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Clear Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size more then 30 sq. feet*	Top –78 x 35 x 1.0 Bottom – 78 x 53 x 1.0 Side – 81 x 38 x 1.0	sqm	7020	7020

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
257.31	WINDOWS – *2 Pannel Sliding*, **BLACK Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm colour Glass, Knobs, Gaskets & Necessary Hardware etc *Minimium Size 30 sq feet*	Top – 101.6x38.1x1.3 Bottom – 101.6x41.5x1.3 Side – 101.6x44.5x1.3	sqm	9180	9180
257.32	WINDOWS – *2 Pannel Sliding*, **BLACK Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Colour Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size 20 - 30 sq feet*	Top – 101.6x38.1x1.3 Bottom – 101.6x41.5x1.3 Side – 101.6x44.5x1.3	sqm	9720	9720
257.33	WINDOWS – *2 Pannel Sliding*, **BLACK Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Colour Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size less then 10 - 20 sq. feet*	Top – 101.6x38.1x1.3 Bottom – 101.6x41.5x1.3 Side – 101.6x44.5x1.3	sqm	10350	10350
257.34	WINDOWS – *2 Pannel Sliding*, **BLACK Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Colour Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size less then 10 sq. feet*	Top – 101.6x38.1x1.3 Bottom – 101.6x41.5x1.3 Side – 101.6x44.5x1.3	sqm	10800	10800
257.35	WINDOWS – *3 Pannel Sliding*, **BLACK Colour** anod. Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, 4mm Colour Glass, Knobs, Gaskets & Necessary Hardware etc *Windows Size more then 30 sq. feet*	Top – 101.6x38.1x1.3 Bottom – 101.6x41.5x1.3 Side – 101.6x44.5x1.3	sqm	9900	9900
257.36	WINDOWS – *CASEMENT type*, **Natural Colour** anod. Aluminium Hinge Windows with fixed Net Including, hings, Tower Bolt, C-Handle, 5mm Clear Glass, Knobs, & Necessary Hardware etc	54 x 38 x 1.2	sqm	6750	6750

क. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
257.37	WINDOWS – *CASEMENT type*, **Natural Colour** anod. Aluminium Hinge Windows with fixed Net Including, hings, Tower Bolt, C-Handle, 5mm Clear Glass, Knobs, & Necessary Hardware etc	83.3 x 27.9 x 1.0	sqm	6750	6750
257.38	DOORS – Hinge Fabrication, **Natural Colour** anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	101.6 x 44.5 x 1.2	sqm	10350	10350
257.39	DOORS – Hinge Fabrication, **Natural Colour** anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – Less then 21 sq. feet) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	101.6 x 44.5 x 1.2	sqm	10350	10350
257.40	DOORS – Hinge Fabrication, **Natural Colour** anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	101.6 x 44.5 x 1.0	sqm	9450	9450
257.41	DOORS – Hinge Fabrication, **Natural Colour** anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – Less then 21 sq. feet) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	101.6 x 44.5 x 1.0	sqm	9450	9450
257.42	DOORS – Hinge Fabrication, **BLACK Colour** anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Board)	101.6 x 44.5 x 1.3	sqm	10350	10350
257.43	DOORS – Hinge Fabrication, **BLACK Colour** anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – Less then 21 sq. feet) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	101.6 x 44.5 x 1.3	sqm	10350	10350

क. सं.	विवरण	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
257.44	DOORS – Hinge Fabrication, **Natural Colour** anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	87 x 38.7 x **1.0**	sqm	8550	8550
257.45	DOORS – Hinge Fabrication, **Natural Colour** anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	78 x 36 x **1.0**	sqm	7650	7650
257.46	DOORS – Hinge Fabrication, **Natural Colour** anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	70x 50 x **1.2**	sqm	7650	7650
257.47	DOORS – Hinge Fabrication, **Natural Colour** anod. Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	63.3x 38.1 x **1.2**	sqm	6750	6750
257.48	DOORS – SWING Fabrication, **Natural Colour** anod. Aluminium Doors Including, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board) FLOOR SPRING – openabale with both side	101.6 x 44.5 x **1.2**	sqm	11250	11250
257.49	DOORS – SWING Fabrication, **Natural Colour** anod. Aluminium Doors Including, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater) (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board) FLOOR SPRING – openabale with both side	101.6 x 44.5 x **1.0**	sqm	11500	11500

धनगढी उप-महानगरपालिका नगर कार्यपालिकाको कार्यालय धनगढी कैलाली सुदूरपश्चिम प्रदेश, नेपाल

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट
257.50	DOORS – SWING Fabrication, **BLACK Colour** anod. Aluminium Doors Including, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater)		sqm	11250	11250
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
	FLOOR SPRING – openabale with both side	101.6 x 44.5 x **1.3**			
257.51	DOORS – Swing Fabrication, **Natural Colour** anod. Aluminium Doors Including, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater)	63.3 x 38.1x **1.0**	sqm	8820	8820
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
257.52	DOORS – SLIDING Fabrication, **Natural Colour** anod. Aluminium Doors Including, Lock, Rubber, Brush,Sliding Bearings, Gaskets & Necessary Hardware etc (Size – 21 sq. feet or greater)		sqm	8820	8820
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	63.3 x 38.1x **1.0**			
257.53	Partation – Fabrication, Supplying & Fixing in **Natural Color** anod Aluminium with necessary hardware	63.3 x 38.1 x **1.0**	sqm	6750	6750
	Aluminium Partation with Tube section				
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
257.54	Partation – Fabrication, Supplying & Fixing of 100mm Series in **Natural Color** anod Aluminium with necessary hardware	101.6 x 44.5 x **1.2**	sqm	9450	9450
	Aluminium Partation with wide frame section				
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
257.55	Partation – Fabrication, Supplying & Fixing of 100mm Series in **Natural Color** anod Aluminium with necessary hardware	101.6 x 44.5 x **1.0**	sqm	8550	8550
	Aluminium Partation with wide frame section				
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
257.56	ACP GLAZING – structure fabrication or Pannel designing with 3mm aluminium sheet with all other accssory hardware and gaskets.		sqm	4950	4950
257.57	GLASS GLAZING – structure fabrication or Pannel designing with Colour black/green/Blue 5mm glass with all other accssory hardware and gaskets.	50 x 61 x **1.2**	sqm	5400	5400

धनगढी उप-महानगरपालिका नगर कार्यपालिकाको कार्यालय धनगढी कैलाली सुदूरपश्चिम प्रदेश नेपाल

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ७७/७८ को दररेट	आ. ब. ७८/७९ को दररेट
257.58	Glass Door (FISH Model)	12 mm Normal Glass	sqm	10800	10800
257.59	Glass Door (FISH Model)	12 mm Toughned Glass	sqm	12150	12150
257.60	Aluminium Framing Glass Mirror		sqm	4950	4950
	Aluminium Framing Marker Board/ Notice Board/ Projector Board		sqm	4050	4050
257.61	Book Rack/ Display Rack/ Kitchen Rack / Show CASE Rack-	As per Design		16200	16200
	Fabrication of Aluminium Draw n Rack				
257.62	Fabrication of Steel Railing with 4 row of steel pipe (running Ft)	2"/1"/1"1" with support 1.5" steelpipe	r. ft.	1030	1030
	Fabrication of Steel with 3 row of Steel Pipe (running Ft)	2"/1"/1" with support 1.5" steel pipe	r. ft.	900	900
257.63	Fabrication of Steel Railing with 2 row of steel pipe (running Ft)	2"/1" with support 1.5" steel pipe	r. ft.	700	700
	Fabrication of Steel with single row of Steel Pipe (running Ft)	1.5" with support 1.5" steel pipe	r. ft.	550	550
257.64	Fabrication of Steel Gate , Steel Furniture like Bench, Arching Table, Modulur Rack and all kinds of Steel Furniture @ kg		kg	470	470

कृषि कार्यका लागि ०.५५ मि.मि. जी.आई.पाताको मेटल बिन (तयारी भकारी)को क्षमता, नाप, तौल, मूल्य विबरण

मेट	मेटल बिनको क्षमता (के.जी.)	मेटल बिनको तौल (के.जी.)	मेटल बिनको तयारी भित्रि व्यास (से.मि.)	मेटल बिनको तयारी भित्रि उचाई (से.मि.)	इकाई	आ. व. ७६/७७ को दररेट	आ.व. ७७/७८ को दररेट	आ.व. ७८/७९ को दररेट
ए.	२६२	१४.०	६१	१२१.०	गोटा	२८४६	२८४६	२९३०
ए.	२४५	१३.३	५९	१२१.०	"	२७५३	२७५३	२८३५
ए.	२२८	१२.५	५७	१२१.०	"	२६६२	२६६२	२७४१
ए.	२१३	११.८	५५	१२१.०	"	२५६७	२५६७	२६४४
ए.	१९८	११.०	५३	१२१.०	"	२४७२	२४७२	२५४५
जम्मा	११४६	६२.५				१३२९९	१३२९९	१३६९८
बि.	१९६	११.०	६१	९०.५	"	२०९०	२०९०	२१५२
बि.	१८४	१०.५	५९	९०.५	"	२०१८	२०१८	२०७८
बि.	१७०	१०.०	५७	९०.५	"	१९३७	१९३७	१९९५
बि.	१६०	९.५	५५	९०.५	"	१८७६	१८७६	१९३२
बि.	१४८	९.०	५३	९०.५	"	१८०५	१८०५	१८५९
जम्मा	८५८	५०.०				९७२६	९७२६	१००१७
सी.	१४८	९.०	५३	९०.५	"	१८८०	१८८०	१९३५
सी.	१३६	८.५	५१	९०.५	"	१८१८	१८१८	१८७२
सी.	१२४	८.०	४९	९०.५	"	१६९८	१६९८	१७४८
सी.	११२	७.५	४७	९०.५	"	१६१९	१६१९	१६६७
सी.	७५	६.०	३८	९०.५	"	१३३१	१३३१	१३७१
जम्मा	५९५	३९.०				८३४५	८३४५	८५९५

आ.व. ०७८/०७९ को घरभाडा प्रति वर्ग फिट फ्लोर एरिया प्रति महिना

क्षेत्र	घरको किसिम				कैफियत
	A	B	C	D	
क	24.34	23.42	22.32	20.28	
ख	20.30	19.30	18.43	17.59	
ग	18.43	17.59	16.60	15.60	
घ	16.60	15.60	14.75	13.61	

पार्किङ्ग क्षेत्रको प्रति बर्ग फिट एरिया प्रति महिना रु १०

क्षेत्रको विबरण

क	जिल्ला बन कार्यालयदेखि धनगढी ट्राफिक कार्यालयसम्म
ख	भन्सारदेखी चौराहा चटकपुर,बैयाबेहड़ी,उत्तरबेहाड़ी,हसनपुर, बोराडाडी, जिल्ला बन कर्यालयदेखी क्याम्पस रोड,लक्ष्मिनारायण मन्दिर रोड, नेपाल राष्ट्र बैंक रोड,अदालत रोड त्रिबेणी चोक अत्तरिया वरिपरी क्षेत्र
ग	सन्तोषी टोल,बिशाल नगर तारानगर पुरानो भन्सार रोड धनगढी न.पा. का अन्य क्षेत्रहरू,टिकापुर र लम्की बजार
घ	माथि उल्लेखित बाहेकका क्षेत्रहरू

घरको किसिमको बिबरण

A	Frame structure building with cement sand mortar
B	Load bearing wall building with cement sand mortar
C	Load bearing wall building with mud mortar
D	Load bearing building with mud mortar and tile/C.G.I. sheet roofing

गाडी भाडा ईन्धन बाहेक प्रति दिन रु	3000	without AC
	4500	with AC

१४.१० बिभिन्न साईजका मेशीन मेड गेवियन जालीहरुको आ.ब. २०७८/७९ को नगर दररेट

1 Machine Made and mechanically selvedged Double twist hexagonal mesh product

Specification			
Mesh Type			*10x12*
Wire mesh Dia			*3.00 mm*
Selvedge wire dia			*3.90 mm*
Lacing Wire Dia			*2.40 mm*
Type of Coating			*Heavy Zinc Coating*
S.N.	**Size / No of Diapharm**	**unit**	**Price(NRS)**
1	1.5x1x0.5/0	Nos	1558
2	2x1x0.5/1	Nos	2119
3	3x1x0.5/2	Nos	3024
4	4x1x0.5/3	Nos	3817
5	1.5x1x1/0	Nos	2264
6	2x1x1/1	Nos	3009
7	3x1x1/2	Nos	4269
8	4x1x1/3	Nos	5498
9	3x1.5x0.5/2	Nos	4442
10	4x1.5x0.5/3	Nos	5622
11	5x1.5x0.5/4	Nos	6970
12	6x1.5x0.5/5	Nos	8334
13	3x1.5x1/2	Nos	6255
14	4x1.5x1/3	Nos	7884
15	5x1.5x1/4	Nos	9747
16	6x1.5x1/5	Nos	11593
17	3x2x0.5/2	Nos	5622
18	4x2x0.5/3	Nos	7103
19	5x2x0.5/4	Nos	8815
20	6x2x0.5/5	Nos	10528
21	3x2x1/2	Nos	7734
22	4x2x1/3	Nos	9731
15	5x2x1/4	Nos	12025
16	6x2x1/5	Nos	14304
17	Wire mesh Netting	SQM	284

धनगढी उपमहानगरपालिका
नगर कार्यपालिकाको कार्यालय
धनगढी, कैलाली
विपद् सामाग्रीहरुको नगर दररेट आ.व. ०७८-७९

क्र.सं.	विपद् सामाग्रीको नाम		स्पेसिफिकेसन	एकाई	प्रति एकाइ दर रु.	कैफियत
क.	हावाहुरी तथा बाढी पहिरो बाट हुने विपद् मा प्रयोग हुने					
1	Safety helmet	हेल्मेट	Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	350	
2	Gaiti with wood handle	गैती	Medium size	थान	550	
3	Belcha with handle	सावेल	Medium size (Metal handle)	थान	450	
4	Axe with wooden handle	बन्चरो	Axe size 16*10 cm - (+3kg)	थान	550	
5	Two Hand Saw	आरा	Size : Big (5 Feet)	थान	1000	
6	Sabbal	गल	Size : Big	थान	1350	
7	Agricultural spade with handle	फरुवा	Regular size (metal handle)	थान	500	
8	Hammer with handle (Ghan)	घन	5 kg	थान	1500	
9	Aasi	आसी	Size : Big	थान	1500	
10	Hand wood cutter machine Chain Saw	काठ काटने मेसिन	Engine capacity not less than 50cc Minimum cutting diameter not less than 20"	थान	15000	
11	Hand wood cutter machine Petrol Saw	काठ काटने मेसिन	2 stroke engine, 1 cylinder Minimun cutting diameter: 20-inch (45cm)	थान	25000	
12	bold cutter	आईरन रड कटर	Medium Size	थान	2500	
13	Knee Pad		घुडामा लगाउने	थान	250	
14	Head search light with battery	हेड लाईट	Halogen 55 W ABS LED Search Lights	थान	750	
15	Power torch light	पावर टर्च लाईट	Lighting Type : LED , Battery : Lead Acid , Capacity : not less than 1500mah	थान	1500	
16	Come along machine		Capacity: not less than 4 ton	थान	6000	
17	Hydralic Jack		Capacity: 20 ton	थान	4000	
18	plastic rope	नाईलन डोरी	10-20mm diameter , More than 100 metre	थान	2500	
19	Anti Dust Glass		UV protection, Liquid splash protection	थान	500	
20	Scene Tape (Barricade Tape)		100 meter Roll	थान	1000	
21	Mega Phone	मेगाफोन	Material: Fiber, Power Output : Not less than 10W, Max, Voice Range : Not less than 400m , Power Source: Chargable & battery use also Weight : not less than 1.5kg Usage : Public Meetings, Gathering , Tourist Palce Announcing	थान	4500	
22	Crow bar	क्रो वार	Overall length - Not less than 450 mm DIA -not less than 16 mm (18"*5/8") Ideal for removing nails & demolition work Forged with high carbon steel Good for pulling nails & lifting	थान	1000	
23	Back board (Stretcher) Spinal board		Two handles at tapered end to allow more stable transport. Strong, light weight, one-piece HDPE construction is impervious to all bodily fluids, easy to decontaminate, and provide 100% X-ray translucency. Instahold Buoyant Backboard Stretcher / Spine Board	थान	4500	
24	Electric Cord		100 meter	थान	4000	
25	Tools box with tools			थान	3000	
ख	दुर्घटना विपद् मा प्रयोग हुने (Rappling & clambing equipment)					
1	Sit Harness Belt	सिट हर्निस बेल्ट	Fully adjustable waist and legs Wrap arround or step in fitting Well- established , easy interlocking buckilng system	थान		

विपद् सामाग्रीहरुको नगर दररेट आ.व. ०७८-७९

क्र.सं.	विपद् सामाग्रीको नाम		स्पेसिफिकेसन	एकाई	प्रति एकाइ दर रु.	कैफियत
			Laminasted, high quality , sandwiched closed cell foam padding High quality polyester webbing , with hidden locking sitch 2 fixed Gear Loops - 2 Removable Gear loops 1 front aluminium D & 1 front doble thickness 18mm belay loop 30kn 1 back & 2 side webbing eyes conforming to EN 358 Standard Waist Size : 74cm to 115 cm Standard leg /thing Size : 44cm to 85 cm Rated for not less than 100kg Weight for standard Harness : not less than 1 kg		4000	
2	Chest harness	चेस्ट हर्नेस	Fully adjustable with comfort padded waist belt thing strap and shoulder Strap 44 mm polyster webbing with min. breaking strength 25 kn Automatic stitching pattern with strength Metal type chest strap with easy handing Adjustable dorsal high strength forged D-ring , Min Breasking Strength 25 kn Two lateral D- rings for work positioning, one sternal D-ring for fall arrest & one ventral D-ring for resque Finished Webbing rnds with web holder Suitable for fall arrest, work positining, descent & ascent & rescue service Speacial design & high resistant polyethylene back plate for holding D- ring even after the fall	थान	1500	
3	Static Rope		100 metre Roll , 12mm	थान	12000	
4	Dynamic Rope	डाईनामिक रोप	Diameter: Not less than 8 mm Length : Not less than 50 ft/roll Made up of with nylon material, enduring durability and longevity Light weight and portable , easy o carry Great for survival , rescue camping	थान	15000	
5	Wire rope pulley	घिर्नी	Capacity: not less than 0.5 ton	थान	2000	
6	Safety helmet for Rappling & clambing	हेल्मेट	Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	800	
7	Carabiner	क्याराबिना	Made up af alloy Steel, Head treated, Min. Breaking Load not less than 4500 ibs/ 23kn, Net weight : not less than 100gm	थान	1200	
8	Figure 8 Carabiner		30 k n	थान	2000	
9	Jumar for clambing		9 cm wide & 19 cm long weight - more than 200 gram	थान	2500	
10	Gri -Gri		More than 8 mm	थान	2500	
11	Prusik		GM CLIMBING 18" / 24" 8mm Pre-Sewn Prusik Cord	थान	500	
12	Tin box	टिन बक्स	6*4*4 feet (22 Gauze)	थान	12000	
13	First Aid box	फर्ष्ट एड बक्स	Triangular Bandage-15 Pc, Roller bandage-3inch-15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor mediun-3pc, Huppin-medium size-3set, Savlon-100ml-3pc, soap-dettole 150-3pc, mask-3box, gloves-medium-3 box,towel cotton-small-3pc, handiplast-1 box, oientment tube-100gm- 3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch- 15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution- 30 pc, Hand sanitizer- 100 ml 3 pc, Bag-1pc)	थान	3000	

विपद् सामाग्रीहरुको नगर दररेट आ.व. ०७८-७९

क्र.सं.	विपद् सामाग्रीको नाम		स्पेसिफिकेसन	एकाई	प्रति एकाइ दर रु.	कैफियत
ग	बाढी तथा डुबानबाट हुने विपद् मा प्रयोग हुने					
1	Life Jacket	लाईफ ज्याकेट		थान	3000	
2	Throw bag		The 3/8" polypropylene rope is yellow for high visibility. The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	थान	1500	
3	Life bouy rescue tube	लाईफ ब्वाय रेस्क्यु ट्युब	Size : 29*29*4	थान	3000	
4	Bora	कट्टा	30 kg	थान	25	
5	Gum boot for water		Size : Medium & Big	थान	1000	
6	Rain Coat		Size : Medium & Big	थान	2500	
7	Water Glasses		Liquid splash protection	थान	100	
8	Safety helmet for water rescue	हेल्मेट	Materials: PVC, size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	850	
९	Water Rescue shoes			थान	1000	
10	Tripal		18*24 ft.	थान	1700	
घ	आगलागीबाट हुने विपद् मा प्रयोग हुने					
1	Fire extinguisher	अग्नी सामक यन्त्र	Type ABC Powder , more than 5 kg cylender	थान	4500	
2	Fire fighter shoot	फायर फाईटर सुट	Jacket , Paint & Helmet	थान	7000	
3	Stell Bucket	फलामे बाल्टी	More than 8 liter	थान	700	
4	Fire Saftey Gloves		Silica Fabric, Heat Resistant Gloves, Fire Proof	थान	800	
5	Aluminium ladder	आलमुनियम ल्याडर	Not less than 12 ft.	थान	15000	

धनगढी उपमहानगरपालिका

नगर कार्यपालिकाको कार्यालय

धनगढी, कैलाली

धनगढी उप-महानगरपालिका नगर कार्यपालिकाको कार्यालय धनगढी कैलाली सुदूरपश्चिम प्रदेश, नेपाल

विरुवाहरुको नगर दररेट आ.व. ०७८-७९

क्र.सं	विरुवाको प्रजाती	एकाई	प्रति एकाइ दर रु.	कैफियत
1	अमला	गोटा	15	
2	पारिजात ३ फिट माथी	गोटा	325	
3	गोल्डमोहर	गोटा	200	
4	बाँस कलमी २ बर्षे	गोटा	500	
5	श्रीखण्ड १ फिट माथी २ बर्षे	गोटा	275	
6	रक्तचन्द्र १८ ईन्च २ बर्षे	गोटा	275	
7	रुद्राक्ष २ फिट माथी २ बर्षे	गोटा	525	
8	समी ४ फिट माथी	गोटा	600	
9	कपुर ३ फिट माथी	गोटा	300	
10	राजवृक्ष ३ फिट माथी	गोटा	300	
11	अगर उड	गोटा	250	
12	गुर्जो	गोटा	80	
13	अम्रपाली २ वर्षे विरुवा	गोटा	130	
14	आँप निलम बहुवर्षिय	गोटा	130	
15	आँप मलिका बहुवर्षिय	गोटा	130	
16	आँप अन्य जात	गोटा	100	
17	लिची सबैजात	गोटा	105	
18	कागती सबैजात	गोटा	60	
19	सुन्तला सबैजात	गोटा	60	